


### Meeting Agenda


- Residential Districts Overview
- Approach to the R-B District
- Subarea A Interior Lateral Streets



# Residential Districts Overview

# The draft study of the residential districts includes:


 Reformatted, simplified, and improved usability of existing residential zoning districts.



# Residential Districts Overview

# The draft study of the residential districts includes:

- Reformatted, simplified, and improved usability of existing residential zoning districts.
- Simplified residential uses removing civic and cultural uses to be included in a new district.



# Residential Districts Overview

# The draft study of the residential districts includes:

- Reformatted, simplified, and improved usability of existing residential zoning districts.
- Simplified residential uses removing civic and cultural uses to be included in a new district.
- Focus on better calibrating the R-B District to respond to community feedback.





### **Guiding Principals**

The following principals guided our study of the R-B District:

- 1. Property rights should be maintained or enhanced.
- 2. The traditional neighborhood character of the R-B district should be maintained and promoted.
- 3. The overall percentage of impervious surfaces on a lot should be maintained or reduced.
- 4. Front and side yard setbacks should not include structures.
- 5. Rearrear yard setbacks should be primarily open space with limited encroachment by accessory structures.
- 6. The public and private realms must work together to form the character and feel of a neighborhood.
- 7. Development standards should be specifically calibrated to street widths.




### **Establishing Subareas**

The study proposed three new subareas with the existing R-B District:


Subarea A
Interior Lateral Streets

Subarea B
Sea Streets

Subarea C
All other areas









### Establishing Subareas



#### Subarea A

**Interior Lateral Streets** 

- Primarily comprised of interior blocks on the North End between Indian Road and Wells Road.
- Streets tend to be narrow with no sidewalks; Most lots platted to similar size compliant with current R-B District.
- Zoning Approach: Develop context sensitive zoning rules that better reflect the neighborhood character of the areas.

#### Subarea B

Sea Streets

- Comprised of all lots within R-B fronting Seaview, Seaspray, and Seabreeze Avenues.
- Historically platted lots tend to be smaller than the standards of current R-B District.
- Zoning Approach: Calibrate zoning to better reflect historic context of area; Retain and modernize nonconformance standards intended to preserve existing building form.



#### Subarea C


All other areas

- Comprised of all lots not within subareas A or B.
- Lots tend to have a wider range of conditions, including: larger area, waterfront access, frontage on wider streets, and less regular shapes.
- Zoning Approach: Modernize existing zoning; retain the intent of the R-B District regulations for these sites.

### **Establishing the Lot**

Regulate the subdivision and merger of lots within the R-B District by establishing minimum and maximum required lot areas.

Table 134-15 (i) — Lot Standards.			
Lot Standard	Subarea A	Subarea B	Subarea C
Lot Area	10,000 sq. ft. minimum 20,000 sq. ft. maximum	7,500 sq. ft. minimum 15,000 sq. ft. maximum	10,000 sq. ft. minimum 20,000 sq. ft. maximum
Lot Width	100 ft. minimum	75 ft. minimum	100 ft. minimum
Lot Depth	100 ft. minimum	100 ft. minimum	100 ft. minimum




### **Establishing the Residence Area**

Within Subarea A the "Residence Area" is established to determine the size and location of the footprint of the residence.


The Residence Area is the area of the lot bound by all required yards.

The buildable area is the percentage of the residence area that can be occupied by buildings.



### **Establishing the Residence Area**

- The principal building shall be located entirely within the Residence Area.
- Limited encroachments, such as stairs for access may be permitted within any yard.
- Accessory structures may be located outside of the Residence Area, but not closer than ten feet to a side or rear lot line.



### Relationship to Street Width


- North End development was initially platted for, and comprised of, single story housing stock on narrow streets.
- Current R-B District
   provides a one size fits
   all approach to zoning
   areas without regard to
   historic context.



### Relationship to Street Width

#### Scenario 1


Narrow street, shallow setback, two story building



### Relationship to Street Width

#### **Scenario 2**


Narrow street, shallow setback, two story building



### Relationship to Street Width

#### **Scenario 3**


Narrow street, deeper setback, two story building (both sides)



### Relationship to Street Width

#### Scenario 4


Wider Street, deeper setback, two story building (right side)



### Relationship to Street Width

#### **Scenario 5**

Wider Street, deeper setback, two story building (both side)




### Relationship to Street Width

The draft study proposes establishing two building envelopes uniquely designed for narrow and wide streets.



Relationship to Street Width



#### **Narrow Street**


 One story building envelope required on narrow streets.\*

#### **Wide Street**

- Two story building envelope permitted on Wide Streets.
- Narrow street building envelope is also permitted.

<sup>\*</sup> ARCOM may permit two story (wide street) building envelope on narrow streets if certain conditions are met.

Relationship to Street Width



#### **Narrow Street**


- Height limited to single story (22 ft. maximum).
- Larger Residence Area to permit higher lot coverage buildings.

#### **Wide Street**

- Height limited to two stories (30 ft. maximum).
- Smaller Residence Area, however can accommodate two stories of living space.

# Establishing the Accessories & Open Space

- Accessory structures, like garages and cabanas, must be located to the rear of the principal building.
- Landscaped Open Space requires a minimum percentage of the lot be planted.
- Only a portion of the front yard can be paved for driveways and access.



Buildings and Structures
Paved Areas

Landscaped Open Space

Residence Area

