

TOWN OF PALM BEACH

Information for Town Council Meeting on: June 11, 2024

TO: Mayor and Town Council

VIA: Kirk W. Blouin, Town Manager

VIA: Robert Miracle, CPA Deputy Town Manager, Finance and Administration

FROM: Dean Mealy, II NIGP-CPP, CPPO Town Procurement and Contract Manager

RE: Resolution approving ITB No. 2024-19, D-2 Outfall Repairs and Improvements to Murray Logan Construction, LLC in the amount of \$178,948 and establishing a project budget in the amount of \$205,790

DATE: May 31, 2024

STAFF RECOMMENDATION

Staff recommends the Town Council approve Resolution No. 068-2024, approving ITB No. 2024-19, D-2 Outfall Repairs and Improvements to Murray Logan Construction, LLC in the amount of \$178,948 and establishing a project budget in the amount of \$205,790.

SUMMARY EXPLANATION/BACKGROUND

STAFF RECOMMENDATION

Staff recommends the Town Council approve Resolution No. 068-2024, approving ITB No. 2024-19, D-2 Outfall Repairs and Improvements to Murray Logan Construction, LLC in the amount of \$178,948 and establishing a project budget in the amount of \$205,790.

SUMMARY EXPLANATION/BACKGROUND

The D-2 stormwater pump station located at Palmo Way provides pumped movement of stormwater through a piped system and outfall structure discharging to the Lake Worth Lagoon. The D-2 outfall structure at the lagoon serves as a velocity dissipator and needs repairs. The top of the structure's west side adjacent to the manatee grate shows evidence of rebar corrosion and delaminating concrete. There are also areas of rebar rust staining in the concrete and some minor spalls that need attention to maintain the structure. Public Works Engineering identified the need to remove the top of the structure, perform concrete repairs to the sides of the structure, and add rip rap to the north and south sides for erosion control.

Procurement and Contract Management issued ITB No. 2024-19 and received two bids. The low, responsive, and responsible bidder is Murray Logan Construction, Inc. The bids ranged from \$178,948 to \$208,900. The engineer's opinion of the cost for the project was \$205,000.

Kimley-Horn and Associates, Inc. reviewed the bid submittals and recommended an award to Murray Logan Construction, LLC. I have attached their review as additional backup information.

FUNDING/FISCAL IMPACT

Funding for this award will be from the Capital Improvement Fund.

TOWN ATTORNEY REVIEW

This format has been utilized by the Town in previous recommendations and was approved by the Town Attorney.