



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

# MXP 170

Ambulance Type I (ALS)

**For Purchase Thru FSA 16-VEF 12. Bid Specification # 1**

**Buyer:**

QE  
Town of Palm Beach  
300 North Country Road  
Palm Beach, Florida 33480



**Shipping information**

Quality Emergency Vehicles  
890 S. Oak Crest Path  
Lecanto, Florida 34461

**Tax ID:**



Stock #

TBD

Chassis and

\$192,742

Conversion price

## SPECIFICATION TOPICS

**Exterior Configuration:**

- ▶ CHASSIS
- ▶ SUSPENSION
- ▶ MODULE SPECIFICATIONS
- ▶ MODULE CONFIGURATION
- ▶ LIGHTING
- ▶ EMERGENCY AND WORKING LIGHTS
- ▶ AUDIBLE WARNING SYSTEM
- ▶ VEHICLE FEATURES
- ▶ CONVENIENCE
- ▶ PAINT AND GRAPHICS

**Interior Configuration:**

- ▶ DRIVER'S COMPARTMENT
- ▶ CURB SIDE CONFIGURATION
- ▶ STREET SIDE CONFIGURATION
- ▶ FORWARD BULKHEAD
- ▶ ATTENDANT SEAT
- ▶ COT CONFIGURATION
- ▶ ACTION AREA CONTROL PANEL
- ▶ OXYGEN SYSTEM
- ▶ SUCTION SYSTEM
- ▶ ELECTRICAL SYSTEM
- ▶ COMMUNICATION SYSTEM
- ▶ CLIMATE CONTROL SYSTEM (HVAC)

**Special Configuration :**

- ▶ Long lead-time option (for administrative use only)
- ▶ KKK-A-1822-F EXCEPTION

## EXTERIOR CONFIGURATION

### CHASSIS

11

| Description  | Total price |
|--|-------------|
| CHF17 <input type="checkbox"/> Ford F450 4 x 4 Super duty Chassis cab<br>o 6,7L POWER STROKE V8 Diesel Engine<br>o Wheelbase 193" (4902 mm)<br>o GVWR (Gross vehicle weight rating) 16,500 Lbs / 7,486 Kg            | \$0         |
| CHF19 <input checked="" type="checkbox"/> Ford F450 4 x 2 Super duty Chassis cab<br>o 6,7L POWER STROKE V8 Diesel Engine<br>o Wheelbase 193" (4902 mm)<br>o GVWR (Gross vehicle weight rating) 16,500 Lbs / 7,486 Kg | \$48,290    |

### SUSPENSION

12

| Description | Total price |
|-------------|-------------|
|-------------|-------------|



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

SSC11

|   |                         |
|---|-------------------------|
| 1 | LiquidSpring suspension |
|---|-------------------------|

\$10,360



3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| MODULE SPECIFICATIONS |  | 13          |
|-----------------------|--|-------------|
| Description           |  | Total price |
| MDA13                 | <p><b>STD</b></p> <ul style="list-style-type: none"> <li>• <b>Overall dimensions</b> <ul style="list-style-type: none"> <li>○ 170" [4318 mm] long x 95" [2413 mm] wide</li> <li>○ Interior headroom 72" [1829 mm]</li> </ul> </li> </ul>   |             |
|                       | <p><b>STD</b></p> <ul style="list-style-type: none"> <li>• <b>Module structure</b> <ul style="list-style-type: none"> <li>○ All aluminum module</li> <li>○ Single piece aluminum floor sheet</li> <li>○ High strength aluminum sections</li> <li>○ Acid preparation on the exterior structures (enhance bonding)</li> <li>○ High shear strength structural elastic adhesive assembly of the wall panels to the wall structure</li> <li>○ 12 rubber mount points on module to chassis for improved noise and vibration performance</li> </ul> </li> </ul>                     |             |
|                       | <p><b>STD</b></p> <ul style="list-style-type: none"> <li>• <b>Door structure and accessories</b> <ul style="list-style-type: none"> <li>○ Sweep out floor compartments</li> <li>○ Single piece aluminum sheet</li> <li>○ Drop skirt forward of the wheel well, on both curb side and street side</li> <li>○ Stainless steel piano hinges</li> <li>○ Two (2) double stage rotary latches</li> <li>○ "Trimark" chrome door handles</li> <li>○ Auxiliary emergency door release (2)</li> <li>○ Drip rail over all doors</li> <li>○ Door hold open device</li> </ul> </li> </ul> |             |

| MODULE CONFIGURATION |  | 14          |
|----------------------|--|-------------|
| Description          |  | Total price |
|                      | <ul style="list-style-type: none"> <li>• <b>Streetside configuration</b> <ul style="list-style-type: none"> <li>○ First door (S1) for main oxygen cylinder access</li> <li>○ Second door (S2) for equipment storage</li> </ul> </li> </ul> |             |
| CMA11                |  |             |
| CMB11                |  |             |
| CMB12                | <p><b>STD</b></p> <p><input type="checkbox"/> One (1) full depth shelves</p>   |             |
| CMB13                | <p><input checked="" type="checkbox"/> Stair chair holder compartment door with one (1) half depth shelf in compartment</p>  | \$0         |
| CMB14                | <p><input type="checkbox"/> Fire extinguisher (5 lbs) ABC with heavy duty bracket in electric compartment</p>  | \$105       |
| CMC12                | <p><b>STD</b></p> <p><input checked="" type="checkbox"/> Third door (S3) for equipment storage with interior/exterior access</p>   |             |
| CMC13                | <p><b>STD</b></p> <p><input checked="" type="checkbox"/> Two (2) full depth shelves</p>  |             |
| CMC14                | <p><input checked="" type="checkbox"/> Reinforcement for spare tire storage</p>  |             |
| CMC15                | <p><input checked="" type="checkbox"/> Stair chair holder on compartment door with two (2) half depth shelves</p>  | \$0         |
| CMC11                | <p><input type="checkbox"/> Third door (S3) with full height compartment for equipment storage</p>   | \$260       |
| CMC16                | <p><input checked="" type="checkbox"/> Three (3) full depth shelves</p>  | \$0         |
| CMC17                | <p><input checked="" type="checkbox"/> Reinforcement for spare tire storage with two (2) full depth shelves</p>  | \$0         |
| CMC19                | <p><input type="checkbox"/> Reinforcement and anchors for SCBA mounted in compartment with two (2) full depth shelves</p>  | \$410       |
| CMD11                | <ul style="list-style-type: none"> <li>○ Upper door (E) for electrical panel access</li> </ul>   |             |
|                      | <ul style="list-style-type: none"> <li>• <b>Curbside configuration</b> <ul style="list-style-type: none"> <li>○ First door (C1) with batteries and ALS compartment access</li> </ul> </li> </ul>   |             |
| CME11                |  |             |
| CMF11                | <p><b>STD</b></p> <p><input type="checkbox"/> Second door (C2) for patient compartment access, with flush-mounted, automotive-style window</p>   |             |
| CMF12                | <p><input checked="" type="checkbox"/> Second door (C2) for patient compartment access, with flush-mounted, automotive-style opening window</p>  | \$0         |
| CMG11                | <ul style="list-style-type: none"> <li>○ Third door (C3) backboard compartment</li> </ul>  |             |
| CMG12                | <p><b>STD</b></p> <p><input type="checkbox"/> Three (3) adjustable Premium backboard dividers with straps</p>  |             |
| CMG13                | <p><input type="checkbox"/> Stair chair location with two (2) shelves and one (1) full height divider</p>  | \$0         |
| CMH11                | <p><input type="checkbox"/> Flush-mounted, automotive-style window on curbside module</p>  | \$0         |
|                      | <ul style="list-style-type: none"> <li>• <b>Rear configuration</b> <ul style="list-style-type: none"> <li>○ Two (2) patient compartment doors (R1 &amp; R2), each with individual exterior door handle and window</li> </ul> </li> </ul>   |             |
| CMI11                | <p><b>STD</b></p>  |             |
| CMI12                | <p><b>STD</b></p> <p><input type="checkbox"/> Frameless rear flush mounted tinted windows</p>  |             |
| CMI13                | <p><input checked="" type="checkbox"/> Frameless rear flush mounted tinted window with defrost</p>   | \$0         |
|                      | <ul style="list-style-type: none"> <li>• <b>Compartment lights</b> <ul style="list-style-type: none"> <li>○ High intensity tube lights</li> </ul> </li> </ul>  |             |
| CMJ12                | <p><b>STD</b></p>  |             |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)







3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| EMERGENCY AND WORKING LIGHTS |  | 16          |
|------------------------------|--|-------------|
| Description                  |  | Total price |
|                              | <ul style="list-style-type: none"> <li>• <b>Type of lights</b> <ul style="list-style-type: none"> <li>○ Chrome bezel</li> </ul> </li> </ul>      |             |
| STD                          | <input checked="" type="checkbox"/> Whelen standard series<br><input type="checkbox"/> Whelen M series (Pricing dependent upon selected options) |             |
|                              | <ul style="list-style-type: none"> <li>• <b>Flash pattern</b></li> </ul>   |             |
| STD                          | Light Package with triple flash light pattern  |             |
|                              | <ul style="list-style-type: none"> <li>• <b>Grille lights</b></li> </ul>   |             |
|                              | <input checked="" type="checkbox"/> Two (2) red LED in grille  |             |
| UTA12 STD                    | <ul style="list-style-type: none"> <li>○ 500 series 5 x 1</li> </ul>   |             |
| UTA18                        | <ul style="list-style-type: none"> <li>○ M7 series 7 X 3</li> </ul>  | \$0         |
|                              | <input checked="" type="checkbox"/> Two (2) red LED in grille and two (2) clear LED with WIG WAG flash pattern in grille                         |             |
| UTA14                        | <ul style="list-style-type: none"> <li>○ 500 series 5 x 1</li> </ul>   | \$290       |
| UTA19                        | <ul style="list-style-type: none"> <li>○ M7 series 7 X 3</li> </ul>  | \$0         |
|                              | <ul style="list-style-type: none"> <li>• <b>Front module lights</b></li> </ul>   |             |
|                              | <input type="checkbox"/> Five (5) LED emergency lights on front of module with 2 red / 1 white / 2 red   |             |
| UTB16 STD                    | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   |             |
| UTB19                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
|                              | <input type="checkbox"/> Seven (7) LED 7x9 emergency lights on front of module with 3 red / 1 white / 3 red                                      |             |
| UTB17                        | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   | \$0         |
| UTB20                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
| UTB13                        | <input type="checkbox"/> Whelen 4500+ 76" flush mounted LED light bar, 3 red / 2 white / 3 red   | \$0         |
|                              | <input checked="" type="checkbox"/> Two (2) upper corner red LED lights (900 series)   |             |
| UTB15                        | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   | \$0         |
| UTB18                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
| UTB11                        | <input type="checkbox"/> Demers aerodynamic cab riser with 5 red / 2 white / 5 red (500 series)  |             |
|                              | Two (2) upper corner red LED lights  |             |
| UTB15                        | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   | \$0         |
| UTB18                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
|                              | <ul style="list-style-type: none"> <li>• <b>Intersection lights</b></li> </ul>   |             |
|                              | <input checked="" type="checkbox"/> Two (2) red LED intersection lights  |             |
| UTC11 STD                    | <ul style="list-style-type: none"> <li>○ 700 series 7 X 3</li> </ul>   |             |
| UTC13                        | <ul style="list-style-type: none"> <li>○ M7 series 7 X 3</li> </ul>  | \$0         |
|                              | <input checked="" type="checkbox"/> Two (2) clear/red LED intersection lights with turning priority  |             |
| UTC12                        | <ul style="list-style-type: none"> <li>○ 700 series 7 X 3</li> </ul>   | \$0         |
| UTC14                        | <ul style="list-style-type: none"> <li>○ M7 series 7 X 3</li> </ul>  | \$0         |
|                              | <ul style="list-style-type: none"> <li>• <b>Curb and street side upper configuration</b></li> </ul>  |             |
|                              | <ul style="list-style-type: none"> <li>○ Four (4) red LED lateral emergency lights (two (2) on each side)</li> </ul>                             |             |
| UTD11 STD                    | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   |             |
| UTD18                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
|                              | <input type="checkbox"/> Two (2) additional red LED emergency lights center side mount (one (1) on each side)                                    |             |
| UTD13                        | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   | \$0         |
| UTD19                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
|                              | <ul style="list-style-type: none"> <li>○ Four (4) lateral LED scene lights (two (2) on each side)</li> </ul>                                     |             |
| UTD17 STD                    | <ul style="list-style-type: none"> <li>○ 900 series 7 X 9</li> </ul>   |             |
| UTD20                        | <ul style="list-style-type: none"> <li>○ M9 series 10 X 6</li> </ul>   | \$0         |
|                              | <ul style="list-style-type: none"> <li>• <b>Curb and street side lower configuration</b></li> </ul>  |             |
|                              | <ul style="list-style-type: none"> <li>○ Two (2) red LED emergency lights intermediate side mount</li> </ul>                                     |             |
| UTE11 STD                    | <ul style="list-style-type: none"> <li>○ 700 series 7 X 3</li> </ul>   |             |
| UTE12                        | <ul style="list-style-type: none"> <li>○ M7 series 7 X 3</li> </ul>  | \$0         |



3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

|       |     | <b>• Rear module lights</b>  |       |
|-------|-----|--|-------|
| UTF11 | STD | ○ Two (2) red LED rear emergency lights (rear corners)   |       |
| UTF17 |     | ○ 900 series 7 X 9   | \$0   |
|       |     | ○ M9 series 10 X 6   |       |
| UTF12 | STD | ○ Two (2) Rear amber LED lights  |       |
| UTF18 |     | ○ 600 series 4 X 6   | \$0   |
|       |     | ○ M6 series 6 X 4  |       |
| UTF15 | STD | ○ Two (2) rear loading LED lights  |       |
| UTF19 |     | ○ 600 series 4 X 6   | \$0   |
|       |     | ○ M6 series 6 X 4  |       |
| UTF16 |     | <input checked="" type="checkbox"/> Two (2) additional red LED lights at window height   | \$530 |
| UTF20 |     | ○ 900 series 7 X 9   | \$0   |
|       |     | ○ M9 series 10 X 6   |       |
|       |     | <b>• Door module lights</b>  |       |
| UTG11 | STD | <input checked="" type="checkbox"/> One red emergency LED light on each compartment and entry door panels (Total of eight (8)) |       |
| UTG12 |     | <input type="checkbox"/> Two red emergency LED lights on each compartment and entry door panels (Total of eight (16))          | \$0   |

|       |     | <b>AUDIBLE WARNING SYSTEM</b>  | 17          |
|-------|-----|--|-------------|
|       |     | Description  | Total price |
|       |     | <b>• Siren</b>   |             |
| ASA11 | STD | ○ Siren amplifiers (100 watt) with 4 tones and Public address (P/A) microphone |             |
|       |     | <b>• Speakers</b>  |             |
| ASB11 | STD | ○ Two (2) bumper integrated speakers   |             |
|       |     | <b>• Back-up alarm</b>   |             |
| ASC11 | STD | ○ Back up alarm (97db) with override switch                                    |             |
|       |     | <b>• Low frequency tone system</b>   |             |
| ASD11 |     | <input checked="" type="checkbox"/> Whelen Howler Low frequency tone siren     | \$935       |

|       |     | <b>VEHICLE FEATURES</b>   | 18          |
|-------|-----|---|-------------|
|       |     | Description   | Total price |
|       |     | <b>• Steps</b>  |             |
| EFA11 | STD | ○ Anti-skid lateral steps angle to match module width includes: mud guards              |             |
| EFA12 | STD | ○ Rear retractable anti-skid step   |             |
|       |     | <b>• Mirrors</b>  |             |
| EFB11 | STD | ○ OEM exterior mirrors  |             |
|       |     | <b>• Wheels</b>   |             |
|       | STD | ○ OEM Alloy Aluminium Wheels  |             |
|       |     | <b>• License plate</b>  |             |
| EFC11 | STD | <input type="checkbox"/> Flush license plate location with LED light                    |             |
| EFC12 |     | <input checked="" type="checkbox"/> Recessed chrome licence plate holder with LED light | \$100       |
|       |     | <b>• Fuel</b>   |             |
| EFD11 | STD | <input checked="" type="checkbox"/> 1/4 fuel tank filled- up                            |             |
| EFD12 |     | <input type="checkbox"/> Full fuel tank filled-up                                       | \$0         |
|       |     | <b>• Module protection</b>  |             |
| EFE13 | STD | ○ Fiberglass wheel trim   |             |
| EFE14 | STD | ○ Undercoating protection   |             |
| EFE15 | STD | ○ Rear mudguard   |             |
| EFE12 | STD | ○ Module front and corner stainless steel protection                                    |             |
|       |     | <b>• Chassis protection</b>   |             |
| EFE11 |     | <input checked="" type="checkbox"/> Aluminum rub-rails on each side                     | \$265       |
| EFF12 |     | <input type="checkbox"/> Ali Arc high polish finish front bumper                        | \$0         |
| EFF13 |     | <input type="checkbox"/> Tow hooks (2) in rear step plate                               | \$0         |





3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

**CONVENIENCE** 19

|       |     | Description   | Total price |
|-------|-----|---|-------------|
| CNA11 | STD | o Anti-theft  |             |
| CNA12 | STD | o Eco Smart (Idle reduction system)   |             |
| CNC13 | STD | o Door unlock valet switch located in front grille                          |             |
| CNC15 | STD | o Fast-idle   |             |
| CNB11 |     | <input checked="" type="checkbox"/> Back-up camera                          | \$600       |
| CNB12 |     | <input type="checkbox"/> Interior camera                                    | \$0         |
| CNC11 |     | <input type="checkbox"/> Ultra sound whistle for animals (one on each side) | \$0         |
| CNC14 |     | <input type="checkbox"/> Keyless entry touch pad (One on C2/ One on A1)     | \$0         |

**PAINT AND GRAPHICS** 21

|       |     | Description   | Total price |
|-------|-----|---|-------------|
|       | STD | o White "Tristar" exterior paint : High built polyurethane surface paint over epoxy primer and two (2) acid stabilizing treatments to prevent galvanic/corrosion and provide high adhesion for epoxy primer |             |
| DCA14 |     | <input type="checkbox"/> Emblem and markings "Star of Life" (3", 12", 16" and 32"), "AMBULANCE" (3) and mirrored "AMBULANC  | \$0         |

**INTERIOR CONFIGURATION**

**DRIVER'S COMPARTMENT** 22

|       |     | Description  | Total price |
|-------|-----|--|-------------|
|       |     | <b>• Front console</b>   |             |
| CBA13 | STD | <input checked="" type="checkbox"/> Control center with switches and LED backlit pictograms in floor mounted console |             |
| CBA14 |     | <input checked="" type="checkbox"/> 8 " color touch screen in floor mounted console                                  | \$0         |
|       | STD | o OEM 12V DC Outlets (2)   |             |
|       | STD | o "Door ajar" & "Compartment" indicator lights   |             |
|       | STD | o Intercodes patient indicator lights (Red/Yellow/Green)   |             |
|       | STD | o Rear air conditioning/heating speed and temperature control with automatic mode                                    |             |
|       | STD | o Digital chassis voltmeter and conversion amp meter & voltmeter   |             |
|       | STD | o Auxiliary indicator light  |             |
|       |     | <b>• Floor mounted console</b>   |             |
| CBB11 | STD | <input checked="" type="checkbox"/> Floor mounted console  |             |
| CBB15 |     | o Cup holders  |             |
|       |     | o Six (6) spare locations  |             |
| CBB14 |     | o Driver and passenger side armrest  |             |
| CBB11 |     | <input checked="" type="checkbox"/> Deluxe floor mounted console   | \$265       |
| CBB15 |     | o Cup holders  |             |
|       |     | o Three (3) spare locations  |             |
| CBB12 |     | o Compartment with armrest   |             |
|       |     | <b>• Accessories</b>   |             |
| CBB13 |     | <input type="checkbox"/> Compartment for flare and fire extinguisher (5lbs)  | \$0         |
| CBD11 |     | <input checked="" type="checkbox"/> Hand spotlight 400 000 CP with trigger type switch and ABS thermoformed bracket  | \$100       |
|       |     | <b>• Reading light</b>   |             |
| CBC11 | STD | o Cab headliner with dual clear and red LED map lights   |             |





3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| CURB SIDE CONFIGURATION |  | 23          |
|-------------------------|--|-------------|
|                         | Description  | Total price |
| STD                     | <b>1</b> <b>Squad bench</b>  |             |
| CDE11                   | o Flip down trash container with hands free open device  |             |
| CDA17                   | <b>1</b> Seating for three (3) passenger, 2 pts safety belt  |             |
| CDA13                   | o Thermoformed full size molded backrest with lumbar support   |             |
| CDA11                   | <b>1</b> Single full length molded cushion and thermoformed full size molded backrest with lumbar support                |             |
| CDA12                   | ■ Three (3) ergonomic, thermoformed molded seat cushion  | \$0         |
| CDA15                   | ■ Three (3) thermoformed molded seat cushion with wheel and post cups for FW #107C stretcher                             | \$0         |
| CDA16                   | ■ Three (3) thermoformed molded seat cushion with wheel and post cups for FW #9 stretcher                                | \$0         |
| CDA23                   | <b>New</b> ■ Seating for three (3) passenger, 6 pts safety belts (Curbside module window n/a)                            | \$0         |
| CDA14                   | o Thermoformed molded backrest   |             |
| CDA11                   | o Single full length molded cushion  |             |
|                         | o Auxiliary patient safety straps (3)  |             |
|                         | • <u>Accessories</u>   |             |
| CDF11                   | <b>1</b> Safety net  | \$265       |
|                         | ■ <b>Mobility Package</b>  | \$0         |
| CDB11                   | o Adjustable slide tracking system   |             |
|                         | • <u>Accessories</u>   |             |
| CDF11                   | ■ Safety net   | \$0         |
| CDC11                   | • <u>Cabinet configuration</u>   |             |
| CDE11                   | o Flip down trash container with hands free open device  |             |
|                         | o Flip out writing panel   |             |
|                         | o Drawers (2)  |             |
|                         | • <u>Auxiliary cot and seating configuration</u>   |             |
|                         | ■ No auxiliary cot device  |             |
|                         | o EVS thermoformed seat with 3 pts safety belt mounted swivel base (side, 45 and forward)                                | \$0         |
| CDB15                   | ■ Accomodation for backboard   | \$0         |
|                         | o EVS thermoformed flip down seat with 3 pts safety belt mounted swivel base (side, 45 and forward)                      |             |
|                         | o Anchors and belts (3) (Removable foot end bracket and foldable head bracket)   |             |
|                         | o Design to fit a Ferno Millenia backboard. <b>If different, please specify in special note section, the model used.</b> |             |
| CDB12                   | ■ Accomodation for FW#107C auxiliary stretcher   | \$0         |
|                         | o EVS thermoformed flip down seat with 3 pts safety belt mounted swivel base (side, 45 and forward)                      |             |
|                         | o Anchors and belts (3) (Removable foot end bracket and foldable head bracket)   |             |
|                         | o Wheel and post cups  |             |
| CDB13                   | ■ Accomodation for FW#9 auxiliary stretcher  | \$0         |
|                         | o EVS thermoformed flip down seat with 3 pts safety belt mounted swivel base (side, 45 and forward)                      |             |
|                         | o Anchors and belts (3) (Removable foot end bracket and foldable head bracket)   |             |
|                         | o Wheel and post cups  |             |
|                         | • <u>Cabinet counter top configuration</u>   |             |
| CDD11                   | ■ Cardiac monitor tray, sliding and turning  | \$0         |
| CDD12                   | ■ Cardiac monitor tray, sliding and turning, for "LIFEPAK 15"  | \$0         |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

| STREET SIDE CONFIGURATION  |   | 24          |
|--|---|-------------|
| Description  |   | Total price |
| <ul style="list-style-type: none"> <li>• <b>Available configuration with S3 inside/outside access (CMC12)</b></li> </ul>   |   |             |
| MCA12  | <b>STD</b><br><b>Medical cabinet with "CPR" seat</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Drawers (2) with writing panel</li> </ul>  |             |
| MCE11  | <b>STD</b><br><b>Seating for one EMT, 2 pts safety belts and thermoformed full size molded backrest cushion with lumbar support</b>   |             |
| MCE12  | <b>New</b><br><b>Seating for one EMT, 6 pts safety belts and thermoformed molded backrest cushion</b> <ul style="list-style-type: none"> <li>o Fiberglass and aluminum storage with LED strip lighting (2)</li> <li>o Rear lower fiberglass storage (1) with LED strip lighting and interior/exterior access to S3 exterior compartment</li> <li>o Clear LED reading lamps (2)</li> </ul>   | \$0         |
| MCB14  | <ul style="list-style-type: none"> <li>o Aluminium restocking windows frames (3)</li> </ul>   |             |
| MCC11  | <ul style="list-style-type: none"> <li>• <b>Cardiac monitor configuration</b></li> <li>o <b>Cardiac monitor tray, sliding and turning</b></li> </ul>  | \$0         |
| MCC12  | <ul style="list-style-type: none"> <li>o <b>Cardiac monitor tray, sliding and turning, for "LIFEPAK 15"</b></li> </ul>  | \$0         |
| MCA14  | <b>Medical cabinet with "CPR" forward facing captain seat</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Drawers (2) with writing panel</li> <li>o Seating for one EMT, 3 pts EVS certified thermoformed seat</li> <li>o Fiberglass and aluminum storage with LED strip lighting (2)</li> <li>o Rear lower fiberglass storage (1) with LED strip lighting and interior/exterior access to S3 exterior compartment</li> <li>o Clear LED reading lamp (1)</li> </ul> | \$0         |
| MCB14  | <ul style="list-style-type: none"> <li>o Aluminium flip-up windows frames (3)</li> </ul>  |             |
| MCA16  | <b>Full medical cabinet</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Fiberglass and aluminum storage with LED strip lighting (3)</li> <li>o Rear lower fiberglass storage (1) with LED strip lighting and interior/exterior access to S3 exterior compartment</li> <li>o Clear LED reading lamp (2)</li> </ul>   | \$0         |
| MCB14  | <ul style="list-style-type: none"> <li>o Aluminium flip-up windows frames (4)</li> </ul>  |             |
| MCC11  | <ul style="list-style-type: none"> <li>• <b>Cardiac monitor configuration</b></li> <li>o <b>Cardiac monitor tray, sliding and turning</b></li> </ul>  | \$0         |
| MCC12  | <ul style="list-style-type: none"> <li>o <b>Cardiac monitor tray, sliding and turning, for "LIFEPAK 15"</b></li> </ul>  | \$0         |
| <ul style="list-style-type: none"> <li>• <b>Available configuration with full height S3 compartment (CMC11)</b></li> </ul> |   |             |
| MCA11  | <b>1 Medical cabinet with dual "CPR" seat</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Drawers (2) with writing panel</li> <li>o Seating for two (2) EMT, safety belt and thermoformed full size molded backrest cushion</li> <li>o Fiberglass and aluminum storage with LED strip lighting (2)</li> <li>o Clear LED reading lamp (1)</li> </ul>   | \$260       |
| MCB14  | <ul style="list-style-type: none"> <li>o Aluminium flip-up windows frames (2)</li> </ul>  |             |
| MCA13  | <b>Medical cabinet with "CPR" forward facing captain seat</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Drawers (2) with writing panel</li> <li>o Seating for one EMT, 3 pts EVS certified thermoformed seat</li> <li>o Fiberglass storage with LED strip lighting (2)</li> <li>o Clear LED reading lamp (1)</li> </ul>   | \$0         |
| MCB14  | <ul style="list-style-type: none"> <li>o Aluminium flip-up windows frames (2)</li> </ul>  |             |
| MCA15  | <b>Full medical cabinet</b> <ul style="list-style-type: none"> <li>o Aluminium extrusion structure</li> <li>o Main oxygen cylinder access door</li> <li>o Fiberglass and aluminum storage with LED strip lighting (3)</li> <li>o Clear LED reading lamp (2)</li> </ul>  | \$0         |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

|       |   |     |
|-------|---|-----|
| MCB14 | ○ Aluminium flip-up windows frames (3)                        |     |
|       | • <u>Cardiac monitor configuration</u>                        |     |
| MCC11 | ■ Cardiac monitor tray, sliding and turning                   | \$0 |
| MCC12 | ■ Cardiac monitor tray, sliding and turning, for "LIFEPAK 15" | \$0 |



3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

| FORWARD BULKHEAD |  | 25          |
|------------------|--|-------------|
| Description      |  | Total price |
|                  | <ul style="list-style-type: none"> <li>• <b>Cab to module configuration</b></li> </ul>   |             |
| FBA11            | STD <input checked="" type="checkbox"/> 1 Crawl through with sliding door  |             |
| FBA12            | <input checked="" type="checkbox"/> Pass-through sliding window (12" x 12")  |             |
| FBC11            | STD <ul style="list-style-type: none"> <li>• <b>ALS front corner cabinet configuration - Street side</b></li> <li>○ Aluminum extruded door with see through windows and stainless steel handle</li> <li>○ Three (3) fixed shelves</li> <li>○ LED strip lighting</li> </ul>   |             |
| FBB11            | STD <ul style="list-style-type: none"> <li>• <b>ALS front cabinet configuration - Curb side</b></li> <li>○ Aluminium extrusion structure</li> <li>○ LED strip lighting</li> <li>○ Inside/outside access via curbside door</li> <li>○ Four (4) aluminum extruded doors with see through windows and stainless steel handle</li> <li>○ Two (2) adjustable shelves</li> <li>○ One (1) fixed shelf</li> <li>○ One lockable drawer with stainless steel handle</li> </ul> |             |
| FBB13            | STD <ul style="list-style-type: none"> <li>• <b>ALS upper front configuration</b></li> <li><input checked="" type="checkbox"/> Lockable compartment above ALS front cabinet                             <ul style="list-style-type: none"> <li>○ One (1) aluminum extruded door with see through window and stainless steel lockable handle</li> <li>○ 12V and 110V outlets</li> </ul> </li> </ul>   |             |
| FBB14            | <input checked="" type="checkbox"/> Smithworks IV warmer   | \$0         |
| FBB15            | <input checked="" type="checkbox"/> 1 Mermaid refrigerated compartment   | \$4,235     |

| ATTENDANT SEAT |  | 26          |
|----------------|--|-------------|
| Description    |  | Total price |
| STA11          | STD <input checked="" type="checkbox"/> EVS certified thermoformed seat equipped with 3 pts safety belts                       |             |
| STA12          | <input checked="" type="checkbox"/> 1 EVS certified thermoformed seat equipped with child safety device and 3 pts safety belts | \$345       |
| STB11          | <input type="checkbox"/> Left armrest  | \$0         |
| STB12          | <input type="checkbox"/> Right armrest   | \$0         |

| COT CONFIGURATION |  | 27          |
|-------------------|--|-------------|
| Description       |  | Total price |
|                   | <ul style="list-style-type: none"> <li>• Floor                             <ul style="list-style-type: none"> <li>○ Flooring: 3/4 in. (19mm) exterior grade plywood</li> </ul> </li> </ul> |             |
| CPA11             | STD <input checked="" type="checkbox"/> 1 Center mount cot configuration   |             |
| CPB11             | STD <input checked="" type="checkbox"/> Stryker rolling main cot fastener (cot not included)   |             |
| CPB12             | <input checked="" type="checkbox"/> Ferno main fastener  | \$0         |
| CPB13             | <i>New</i> <input checked="" type="checkbox"/> 1 Stryker power load system with floor plate  | \$0         |
| CPB18             | <i>New</i> <input checked="" type="checkbox"/> Ferno Stat Trac fastening system with mounting blocks (86")   | \$0         |
| CPD11             | <i>New</i> <input checked="" type="checkbox"/> Integrated Charging Feature   | \$0         |
| CPB17             | <i>New</i> <input checked="" type="checkbox"/> Stryker Performance-Load System with floor plate  | \$0         |
| CPD11             | <i>New</i> <input checked="" type="checkbox"/> Inductive Charging Feature  | \$0         |
| CPA13             | <input checked="" type="checkbox"/> Center and left side mount cot configuration   | \$0         |
| CPB11             | <input checked="" type="checkbox"/> Stryker rolling main cot fastener (cot not included)   |             |
| CPB12             | <input checked="" type="checkbox"/> Ferno main fastener  | \$0         |
| CPA12             | <input checked="" type="checkbox"/> Left side mount cot configuration  | \$0         |
| CPB11             | <input checked="" type="checkbox"/> Stryker rolling main cot fastener (cot not included)   |             |
| CPB12             | <input checked="" type="checkbox"/> Ferno main fastener  | \$0         |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| ACTION AREA CONTROL PANEL |  | 28          |
|---------------------------|--|-------------|
| Description               |  | Total price |
|                           | <ul style="list-style-type: none"> <li><b>Action area console (ECC)</b></li> </ul>   |             |
| CRA11                     | STD  |             |
|                           | <ul style="list-style-type: none"> <li>1 Switches with LED backlit pictogram</li> </ul>  |             |
| CRA12                     | <ul style="list-style-type: none"> <li>6.5" color touch screen console                             <ul style="list-style-type: none"> <li>o Rear speaker volume control</li> <li>o Temperature control with automatic setting</li> <li>o Power inverter control panel (with power inverter option only)</li> </ul> </li> </ul> | \$0         |
| CRB11                     | <ul style="list-style-type: none"> <li>1 <b>Auxiliary control console on curb side for squad bench</b> <ul style="list-style-type: none"> <li>o Switches with LED backlit pictogram</li> <li>o Lighting</li> <li>o Exhaust fan</li> <li>o Temperature control</li> <li>o Intercode</li> </ul> </li> </ul>                      | \$635       |
| CRB11                     | <ul style="list-style-type: none"> <li><b>Auxiliary control console on curb side for mobility seat</b></li> </ul>  |             |
|                           | <ul style="list-style-type: none"> <li>Switches with LED backlit pictogram                             <ul style="list-style-type: none"> <li>o Lighting</li> <li>o Exhaust fan</li> <li>o Temperature control</li> <li>o Intercode</li> </ul> </li> </ul>   |             |
| CRB12                     | <ul style="list-style-type: none"> <li>6.5" color touch screen console                             <ul style="list-style-type: none"> <li>o Lighting</li> <li>o Exhaust fan</li> <li>o Temperature control</li> <li>o Intercode</li> </ul> </li> </ul>   | \$0         |

| OXYGEN SYSTEM |  | 29          |
|---------------|--|-------------|
| Description   |  | Total price |
|               | <ul style="list-style-type: none"> <li><b>Main oxygen tank storage</b></li> </ul>  |             |
| OXA11         | STD  |             |
|               | <ul style="list-style-type: none"> <li>Universal vertical holder for main oxygen cylinder type "K" or "M" on street side S1 exterior compartment</li> </ul>  |             |
| OXA12         | <ul style="list-style-type: none"> <li>1 Hydraulic holder for vertical oxygen cylinder type "K" or "M" on street side S1 exterior compartment</li> </ul>   | \$3,170     |
| OXA13         | <ul style="list-style-type: none"> <li>Dual universal vertical holder for main oxygen cylinder type "K" or "M" on street side S1 exterior compartr</li> </ul>  | \$0         |
|               | <ul style="list-style-type: none"> <li><b>Main oxygen control</b></li> </ul>   |             |
| OXB11         | <ul style="list-style-type: none"> <li>Manual oxygen regulator (50PSI)</li> </ul>  | \$0         |
| OXB12         | <ul style="list-style-type: none"> <li>1 Manual oxygen regulator with pressure sensor and digital read-out</li> </ul>  | \$995       |
| OXB13         | <ul style="list-style-type: none"> <li>1 Electronic control valve with manual by-pass</li> </ul>   | \$460       |
|               | <ul style="list-style-type: none"> <li><b>Oxygen outlets</b></li> </ul>  |             |
| OXC11         | STD  |             |
|               | <ul style="list-style-type: none"> <li>1 Quick connect style oxygen outlet</li> </ul>  |             |
| OXC12         | <ul style="list-style-type: none"> <li>DISS style oxygen outlet</li> </ul>   |             |
| OXE14         | <ul style="list-style-type: none"> <li>Four (4) oxygen outlets                             <ul style="list-style-type: none"> <li>o Two (2) in left wall, ECC</li> <li>o One (1) right wall</li> </ul> </li> </ul> |             |
| OXD11         | <ul style="list-style-type: none"> <li>1 Flow meter (0-15LPM)</li> </ul>   | \$125       |
|               | <ul style="list-style-type: none"> <li>One (1) oxygen outlet on ceiling</li> </ul>   |             |
| OXD12         | <ul style="list-style-type: none"> <li>1 Ceiling flow meter (0-25LPM)</li> </ul>   | \$160       |
|               | <ul style="list-style-type: none"> <li><b>Portable oxygen tank storage</b></li> </ul>  |             |
| OXF11         | <ul style="list-style-type: none"> <li>"D" Portable oxygen cylinder storage (2) located in side entry door</li> </ul>  | \$0         |
| OXF12         | <ul style="list-style-type: none"> <li>"E" Portable oxygen cylinder storage (2) located in side entry door</li> </ul>  | \$0         |

| SUCTION SYSTEM |   | 31   |
|----------------|---|--|
| Description    |   | Total price  |
|                | <ul style="list-style-type: none"> <li><b>Main suction pump and canister</b></li> </ul> |  |
| SUD11          |   |  |
| SUA11          | STD   | <ul style="list-style-type: none"> <li>o Thomas suction pump</li> </ul>                                    |
| SUB11          | STD   | <ul style="list-style-type: none"> <li>o Vacuum outlet</li> </ul>  |
| SUC11          | STD   | <ul style="list-style-type: none"> <li>o Vacuum regulator with disposable canister (Rico RS-4X)</li> </ul> |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

SUD12

**Auxiliary suction pump and canister with mobility package**

\$0

- o Thomas suction pump
- o Vacuum outlet
- o Vacuum regulator with disposable canister (Rico RS-4X)



3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| ELECTRICAL SYSTEM |   | 32          |
|-------------------|---|-------------|
| Description       |   | Total price |
| SEC11             | <ul style="list-style-type: none"> <li>Dual alternators with 357-amp rating</li> <li>Demers Electronic Management System (DEMS) - Multiplex system</li> <li>Integrated AutoBoost system</li> <li>Electric door lock on all module doors</li> <li>Two (2) electric door lock/unlock switches located on side/rear right door</li> <li><b>Batteries (4) :</b> <ul style="list-style-type: none"> <li>Two (2) OEM</li> <li>Two (2) conversion batteries</li> </ul> </li> </ul> |             |
| SEA13             | <ul style="list-style-type: none"> <li><b>Four (4) 12V DC electrical outlets</b> <ul style="list-style-type: none"> <li>Two (2) in ECC</li> <li>One (1) in upper medical cabinet compartment</li> <li>One (1) in front ALS cabinet</li> <li>One (1) additional outlet on curb side with mobility package</li> </ul> </li> </ul>   |             |
| SEA14             | <ul style="list-style-type: none"> <li><b>Three (3) 120V AC hospital grade electrical outlets with indicator</b> <ul style="list-style-type: none"> <li>One (1) GFCI in ECC</li> <li>One (1) in upper medical cabinet compartment</li> <li>One (1) in front ALS cabinet</li> <li>One (1) additional outlet on curb side with mobility package</li> </ul> </li> </ul>  |             |
| SEB15             | <ul style="list-style-type: none"> <li><b>Shoreline :</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> Yellow 15 amps Kusmaull Super Auto Eject with indicator</li> <li><input checked="" type="checkbox"/> Yellow 20 amps Kusmaull Super Auto Eject with indicator</li> </ul> </li> </ul>   | \$0         |
| SEB13 STD         |   |             |
| SEB14             |   |             |
| SEB11             | <ul style="list-style-type: none"> <li><b>Inverter</b> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Power inverter ( Xantrex Freedom HW 1000)</li> </ul> </li> </ul>  | \$1,020     |

| COMMUNICATION SYSTEM |  | 33          |
|----------------------|--|-------------|
| Description          |  | Total price |
| SCB11 STD            | <ul style="list-style-type: none"> <li>Data recorder available signals through universal connector in electrical compartment<br/> <i>Ignition, left and right flasher, hood sw, rpm, vss, maintenance indicator, speed indicator, module doors signal, passenger and driver door signal, siren output, siren speakers, primary and secondary emergency lights, brake.</i></li> </ul> |             |
| SCA14                | <input type="checkbox"/> Radio communication compartment with universal board, blade type fuse panels and harness to power the radio communication devices (12V battery feed, ground, ignition).   | \$285       |
| SCA11                | <input checked="" type="checkbox"/> Antenna coaxial cables (2) pre-wiring (routed from front cab to radiocommunication compartment)  | \$200       |

| CLIMATE CONTROL SYSTEM (HVAC) |   | 34          |
|-------------------------------|---|-------------|
| Description                   |   | Total price |
| CVA11 STD                     | <ul style="list-style-type: none"> <li>Separate heater unit with invisible outlets</li> </ul> |             |
| CVB11 STD                     | <ul style="list-style-type: none"> <li>Ducted air conditioning unit</li> </ul>                |             |
| CVC13 STD                     | <ul style="list-style-type: none"> <li>Exhaust fan for contaminated air (2)</li> </ul>        |             |

| INTERIOR LIGHTING |  | 35          |
|-------------------|--|-------------|
| Description       |  | Total price |
| PLA11 STD         | <ul style="list-style-type: none"> <li>Eight (8) LED dome lights with four intensity settings</li> </ul> |             |





3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| GRAB HANDLES AND GRAB RAILS |   | 36          |
|-----------------------------|---|-------------|
| Description                 |   | Total price |
| BSD11                       | STD <input type="checkbox"/> 1 Chrome grab bar package      |             |
| BSD12                       | <input checked="" type="checkbox"/> Yellow grab bar package | \$0         |
| BSB11                       | o Two (2) entry grab bar, 12"                               |             |
| BSC11                       | o Two (2) rear door mounted grab bar, 16" x 16"             |             |
| BSC12                       | o One (1) curb side door mounted grab bar, 12"              |             |
| BSA11                       | o Two (2) ceiling mounted grab rail, 90"                    |             |

| FINISH AND TRIM  |   | 37          |
|--|---|-------------|
| Description  |   | Total price |
| o Floor : Slip resistant, covering material; .098 in. (2.5mm) thickness rolled-up 3 in. (75mm) |   |             |
| • <u>Lon seal</u>  |   |             |
| FTA11  | STD <input checked="" type="checkbox"/> Lon seal, Lon plate II, Gun metal   |             |
| FTA12  | <input checked="" type="checkbox"/> Lon seal, Lon plate II, Mica            | \$0         |
| FTA13  | <input type="checkbox"/> 1 Lon seal, Lon coin II Flecks, Onyx               | \$110       |
| FTA14  | <input checked="" type="checkbox"/> Lon seal, Lon coin II Flecks, Moonstone | \$0         |
| • <u>Altro</u>   |   |             |
| FTA15  | <input checked="" type="checkbox"/> Altro, Designer, Midnight               | \$0         |
| FTB11  | o Ceiling : Light grey  |             |
|  | o Walls : Light grey  |             |
|  | o Furnitures: Light grey  |             |
| FTC11  | o Upholstery: Cobalt Blue   |             |
|  | o Sun Yellow (Entrance head protectors)                                     |             |
|  | o Lower section: Dark grey  |             |

| FONCTIONNALITIES                     |  | 38          |
|--------------------------------------|--|-------------|
| Description                          |  | Total price |
| • <u>Ceiling accessories</u>         |  |             |
| FCA13                                | STD o Four (4) recessed/flexible IV hooks in ceiling   |             |
| FCA11                                | STD o Two (2) recessed radio speakers  |             |
| • <u>Upper front accessories</u>     |  |             |
| FCE11                                | <input type="checkbox"/> Driver intention lights over the front partition                                      | \$0         |
| • <u>Upper curb side accessories</u> |  |             |
| FCC12                                | <input checked="" type="checkbox"/> Glove box (5) compartment  | \$0         |
| FCC13                                | <input type="checkbox"/> 1 Storage cabinet with LED strip lighting   | \$670       |
| FCC17                                | <input checked="" type="checkbox"/> Half storage cabinet with LED strip lighting and glove box (3) compartment | \$0         |
| • <u>Curb side accessories</u>       |  |             |
| FCC11                                | <input type="checkbox"/> Sharp container enclosed in backboard compartment                                     | \$0         |
| • <u>Street side accessories</u>     |  |             |
| FCD11                                | <input type="checkbox"/> 1 Glove box (4) compartment   | \$240       |
| FCD12                                | <input type="checkbox"/> 1 Solid surface on medical cabinet counter top  | \$685       |
| • <u>Rear accessories</u>            |  |             |
| FCE11                                | STD o Digital clock over the rear door   |             |
| FCE12                                | STD o Driver intention lights over the rear door   |             |
| FCE13                                | STD o Rear step indicator over the rear door   |             |



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)

**SPECIAL CONFIGURATION**

**Long lead-time option (for administrative use only)**

- Stryker power load system with floor plate
- LiquidSpring suspension

DCB11

|          |   |                  |         |
|----------|---|------------------|---------|
| <b>1</b> | Custom striping and identifications (Description needed below)<br>See last unit F16P-1252 | Price on request | \$3,100 |
|----------|---|------------------|---------|

*(Urethane paint quoted unless otherwise stipulated; METALLIC paint will require an upcharge to our standard quote.)*

|          |   |                  |         |
|----------|---|------------------|---------|
| <b>1</b> | Custom paint (Description needed below)<br>See last unit F16P-1252<br>Red Pierce # 80 (PPG3464)<br>Black Pierce # 101 (PPG9000) | Price on Request | \$7,655 |
|----------|---|------------------|---------|

|          |  |                  |         |
|----------|--|------------------|---------|
| <b>1</b> | CUSTOM CURB SIDE WALL WITH 2 SEAT WITH 6 POINT BELTS | Price on request | \$3,625 |
|----------|--|------------------|---------|

|          |   |                  |         |
|----------|---|------------------|---------|
| <b>1</b> | Custom Stretcher (Description needed below)<br>STRYKER COT CONVERSION KIT AND INSTALLATION WITH PICKUP AND DELIVERY | Price on Request | \$4,800 |
|----------|---|------------------|---------|

**COMMENTS OR SPECIAL NOTES**

|    | Custom Option # Description   |  | Total price |
|----|---|--|-------------|
| 1  | <b>1</b> 110/12 volt A/C combo unit with auto eject   |  | \$4,850.00  |
| 2  | <b>1</b> A/C condenser on front of body 60000 BTU   |  | \$3,200.00  |
| 3  | <b>1</b> Whelen 4500+ 90" flush mounted LED light bar, 6 Red 5 White  |  | \$4,050.00  |
| 4  | <b>1</b> S2 as deep as possible ( delete drawer under action area and move inverter and pump to front of O/2 compartment            |  | \$450.00    |
| 5  | <b>1</b> 2 under body lights on each side to come on with any door open perimeter ground lighting TechNiq E 100 6.5" LED floodlight |  | \$1,375.00  |
| 6  | <b>1</b> Whelen 500 on inside of cab doors come on with door open, Whelen OS  |  | \$275.00    |
| 7  | <b>1</b> Install customer supplid Knox box in the 45degree cabinet(see drawing)   |  | \$350.00    |
| 8  | <b>1</b> Whelen traffic advisor TAM 65 36"  |  | \$720.00    |
| 9  | <b>1</b> 45 Degree cabinet over counter at head of squad bench  |  | \$1,450.00  |
|    | <b>1</b> Add cabinet to head of squad bench with kick out sharps and drawer facing cot. Delete drawers facing squad bench.          |  | \$3,950.00  |
| 10 | <b>1</b> Upholstery is to be Black in module ( see F16P-1252)   |  | \$0.00      |
| 11 | <b>1</b> Duel Buell air horns in front bumper with actuation foot switch on each side mount compressor under body                   |  | \$2,350.00  |





3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| SPECIAL CONFIGURATION                 |  |             |
|---------------------------------------|--|-------------|
| COMMENTS OR SPECIAL NOTES (CONTINUED) |  |             |
| Custom Option #                       | Description  | Total price |
| 16                                    | 1 Delete drawer and add custom cabinet head of bench   | \$1,800.00  |
| 17                                    | 1 Reinforce shelves in ALS cabinet   | \$250.00    |
| 18                                    | 1 Wheels are to be standard Ford aluminum  | \$3,600.00  |
| 19                                    | 1 Inverter to be constant hot  | \$0.00      |
| 20                                    | 1 CPR seat with 1 position only with a counter on the aft position no inside access for the S3 cabinet (no inside access due to full height S3).                                       | \$0.00      |
|                                       | 1 S3 Full height;  | \$0.00      |
| 21                                    | 1 Ship arm rest loose for deluxe console - clarification, yes customer still wants the arm rests shipped loose even though the deluxe console replaces the arm rests.                  | \$0.00      |
| 22                                    | 1 Sharps container ( see F16P-1252)  | \$125.00    |
| 23                                    | 1 Wig-Wag lights off in park and on primary  | \$0.00      |
| 24                                    | 1 CPR seat with 1 position only with a counter on the aft position no inside access for the S3 cabinet - option selected ( See Drawings) with 6 pts safety belt (pricing for 6-points) | \$420.00    |
| 25                                    | 1 110 A/C to come on as soon as plug in  | \$0.00      |
| 26                                    | 1 Move charger/ inverter panel to bulk head compartment  | \$350.00    |
| 27                                    | 1 Add roll out tool tray in S2 compartment ( see Drawings)   | \$1,500.00  |
| 28                                    | 1 Inside/outside right rear C3 (see drawings)  | \$850.00    |
| 29                                    | 1 Add divider and shelf in S1 compartment  | \$275.00    |
| 30                                    | 1 S2 Stair chair in compartment door   | \$195.00    |
| 31                                    | 1 C3 still need pocket in door for auto pulse storage in front of compartment.   | \$500.00    |
| 32                                    | 1 Hinge vent over bulk head  | \$400.00    |
| 33                                    | 1 Add cabinet in walk thru with hinge doors  | \$650.00    |
| 34                                    | 1 Move vacuum canister to rear of counter  | \$0.00      |
| 35                                    | 1 Screaming Eagle siren thru Ford OEM front bumper passenger side with ali-Arc selected  | \$2,775.00  |
| 35                                    | 1 Fire Com with 3 head sets  | \$3,650.00  |



3 Area Development Dr., Plattsburgh, NY 12901  
 Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
 Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demers.com](mailto:qualityemergencyvehicle@demers.com)

| KKK-A-1822-F EXCEPTION   |   |
|--|---|
| Exception of KKK-A-1822-F Change Notice 8 par. 3.11.6 SAE J3027 Ambulance Litter Integrity, Retention and Patient Restraints |   |
| Initials   |   |
| <input type="checkbox"/> Exception taken? Yes  | I have read and understand the policy of my State on the KKK-F notice 8 requirement and release Demers from having to build my ambulance to these specific 3.11.6 SAE J3027 requirements. I also know and understand that taking exception will not preclude the operation of the ambulance in the State. |
| <input checked="" type="checkbox"/> Exception taken? No  | I have read and understand the policy of my State on the KKK-F notice 8 requirement and require my ambulance to include testing required to meet KKK-F notice 8 3.11.6 SAE J3027. A Stryker Powerload or Ferno Stat Track must be o See cot section or Special notes for pricing details.                 |
| Exception of KKK-A-1822-F Change Notice 8 par. 3.11.4, 3.11.4.1 SAE J3026 Ambulance patient Compartment Seating Integrity    |   |
| Initials   |   |
| <input type="checkbox"/> Exception taken? Yes  | I have read and understand the policy of my State on the KKK-F notice 8 requirement and release Demers from having to build my ambulance to these specific 3.11.6 SAE J3026 requirements. I also know and understand that taking exception will not preclude the operation of the ambulance in the State. |
| <input checked="" type="checkbox"/> Exception taken? No  | I have read and understand the policy of my State on the KKK-F notice 8 requirement and require my ambulance to include testing required to meet KKK-F notice 8 3.11.4, 3.11.4.1 SAE J3026.   |

|  |                     |
|--|---------------------|
| <b>BASE PRICE &amp; STANDARD</b>                                 | \$192,742.00        |
| <b>OPTIONS</b>   | \$29,935.00         |
| <b>CUSTOM ITEMS</b>  | \$61,220.00         |
| <b>ESTIMATE FREIGHT (to be re-evaluated at time of shipping)</b> |                     |
| <b>DOCUMENT PROCESSING FEE</b>                                   |                     |
| <b>SUBTOTAL</b>  | \$283,897.00        |
| <b>Ford FIN Discount ( QB522 Active)</b>                         | -\$3,800.00         |
| <b>NOTRADE-IN DISCOUNT</b>                                       | -\$3,500.00         |
| <b>TOTAL:</b>  | <b>\$276,597.00</b> |

|                              |  |
|------------------------------|--|
| Payment Terms:<br><b>FOB</b> | <b>Total Cost</b><br><b>\$276,597.00</b> |
|------------------------------|--|

Tag And Title included

---



---



---



3 Area Development Dr., Plattsburgh, NY 12901  
Tel.: 800.363.7591 fax: 450.467.6526

Date : 4/20/18  
Contact : Fred Allegretti

Email : [qualityemergencyvehicle@demersambulances.com](mailto:qualityemergencyvehicle@demersambulances.com)



|       |       |
|-------|-------|
| <hr/> | <hr/> |
|-------|-------|