





ALTERNATE WEST ELEVATION



ALTERNATE NORTH ELEVATION



PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

PALM BEACH COUNTY, FLORIDA

TOWN OF PALM BEACH

DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-933-4101, LICENSE #AA-C0014

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

©COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.

SEAL


ROGER P. JANSSEN AR-14788

ARCOM #
ARC-24-15
(ZON-24-025)


DRAWING NO.

A2.02A

JOB NUMBER: 23-124



ROOF NOTES:
1. ROOF TILE TO BE CLAY BARREL TILE.
2. CONTINUOUS GUTTERS TO BE 8" HALF ROUND
COPPER CONNECTED TO 4"Ø DOWNSPOUTS.
3. TYPICAL ROOF OVERHANGING 2'-0".




PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401 TEL: 561-933-4101, LICENSE #AA-C001914

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

©COPYRIGHT 2023 DAILEY
JANSSEN ARCHITECTS, P.A.
ALL RIGHTS RESERVED.

SEAL

ROGER P. JANSSEN AR-14785


ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

JOB NUMBER:


23-124

A1.03A



STAINED CYPRUS

TYP. OUTLOOKER




GREEN TEA LEAF

TYP. WINDOW CLAD COLOR




BLACK CAST IRON

TYP. CAST IRON




BENJAMIN MOORE - LINEN WHITE 912

TYP. STUCCO COLOR



STAINED CYPRUS

FRONT DOOR



CAST STONE


TYP. STONE CLADDING

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401 TEL: 561-933-4101, LICENSE #AA-C001914

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

©COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.

SEAL

ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.05

JOB NUMBER:

23-124




SOUTH ELEVATION

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-933-4101, LICENSE #AA-C001714

DATE: FIRST SUB. 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH 11 RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.10

JOB NUMBER:

23-124




EAST ELEVATION

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-833-4101, LICENSE #AA-C00174

DATE: FIRST SUB. 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.11

JOB NUMBER:

23-124




WEST ELEVATION

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-833-4101, LICENSE #AA-C00174

DATE, FIRST SUB, 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB, 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.12

JOB NUMBER:

23-124




NORTH ELEVATION

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-933-4101, LICENSE #AA-C00174

DATE, FIRST SUB. 12.14.2023


DRAWN: ZMB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.13

JOB NUMBER:

23-124




WEST PERSPECTIVE

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-833-4101, LICENSE #AA-C00174

DATE, FIRST SUB, 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB, 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.14

JOB NUMBER:

23-124




EAST PERSPECTIVE

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-833-4101, LICENSE #AA-C00174

DATE, FIRST SUB, 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB, 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.15

JOB NUMBER:

23-124




FRONT PERSPECTIVE

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS
400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-933-4101, LICENSE #AA-C001714

DATE: FIRST SUB. 12.14.2023


DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.16

JOB NUMBER:

23-124




REAR PERSPECTIVE

PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA



DAILEY JANSSEN ARCHITECTS
400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401, TEL: 561-933-4101, LICENSE #AA-C00174

DATE: FIRST SUB. 12.14.2023


DRAWN: ZMB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

.....

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.



ROGER P. JANSSEN AR-14785


ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.17


JOB NUMBER:

23-124



IMPACT RESISTANT ALUMINUM
CASEMENT WINDOW
COLOR: GREEN TEA LEAF

CAST STONE SILL




TYPICAL WINDOW DETAIL

CLAY BARREL TILE WITH
DOUBLE STARTER COURSE

HALF-ROUND COPPER
GUTTER AND DOWNSPOUT

STAINED CYPRESS OUTLOOKER
AND 1X6 T&G SOFFIT

STUCCO FINISH O/ REINFORCED CMU




EAVE DETAIL

KEYSTONE

CAST STONE SURROUND


IMPACT RESISTANT ALUMINUM WINDOW
COLOR: GREEN TEA LEAF



ARCHED WINDOW DETAIL


BLACK ALUMINUM RAILING

CAST STONE NOSING AND BALCONY
EDGE



BALCONY DETAIL

IMPACT RESISTANT ALUMINUM DOOR
COLOR: GREEN TEA LEAF



PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

PALM BEACH COUNTY, FLORIDA

DAILEY JANSSEN ARCHITECTS

400 CLEMATIS STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401 TEL: 561-933-4101, LICENSE #AA-C001914

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

© COPYRIGHT 2023 DAILEY
JANSSEN ARCHITECTS, P.A.
ALL RIGHTS RESERVED.

SEAL

ROGER P. JANSSEN AR-14785


ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A2.18

JOB NUMBER:

23-124



PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

PALM BEACH COUNTY, FLORIDA

DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33401 TEL: 561-933-4101, LICENSE #AA-C00174

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.

SEAL

ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.


A2.19

JOB NUMBER:


23-124



NORTH SOUTH CROSS SECTION



EAST WEST CROSS SECTION



PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

TOWN OF PALM BEACH

PALM BEACH COUNTY, FLORIDA

DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33411 TEL: 561-933-4707, LICENSE #AA-C001974

DATE, FIRST SUB. 12.14.2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB. 01.03.2024
- FINAL DROP OFF 01.16.2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL 04.08.2024

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.

SEAL


ROGER P. JANSSEN AR-14785

ARCOM # ARC-24-15 (ZON-24-025)


DRAWING NO.

A3.01


JOB NUMBER: 23-124



YARD SECTION A




YARD SECTION B




YARD SECTION 1

MAX ALLOWABLE FILL: 0'-10 ⁷/₈"
MAX FILL PROPOSED ON SITE: 0'-4 ¹/₄"



YARD SECTION 2



PROPOSED RESIDENCE AT:

153 AUSTRALIAN AVE

PALM BEACH COUNTY, FLORIDA

DAILEY JANSSEN ARCHITECTS

400 CLEVELAND STREET, SUITE 200, WEST PALM BEACH, FLORIDA 33411 TEL: 561-933-4101, LICENSE #AA-C001914

DATE, FIRST SUB: 12/14/2023

DRAWN: ZHB

REVISIONS:

- SECOND SUB: 01/03/2024
- FINAL DROP OFF: 01/16/2024
- MARCH II RESUBMITTAL
- APRIL RESUBMITTAL: 04/08/2024

© COPYRIGHT 2023 DAILEY JANSSEN ARCHITECTS, P.A. ALL RIGHTS RESERVED.

SEAL

ROGER P. JANSSEN AR-14785

ARCOM #
ARC-24-15
(ZON-24-025)

DRAWING NO.

A3.02

JOB NUMBER: 23-124



153 Australian Ave, Palm Beach, Florida

Final Submittal MAR24
Final Submittal FEB24
Second Submittal FEB24
First Submittal FEB24

ARC-24-015

COVER

ATA

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24


Cover



Existing South



Existing North




Existing West



Existing East

ARC-24-015

EXISTING LANDSCAPE



TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL


Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Plan

LP-1




Existing Landscape Inventory

- 05. Adonia Palms
- 04. Areca Palm Clusters
- 03. Clusia
- 03. Croton)
- Ficus Benjamina Hedge
- 01. Mango Tree
- 08. Pinwheel Jasmine
- 03. Royal Palm Trees
- 01. Silver Buttonwood
- 05. White Bird of Paradise

ARC-24-015

EXISTING LANDSCAPE PLAN



scale: 1/8"=1'-0"

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE


SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Plan
LP-2



Town of Palm Beach
Planning Zoning and Building
360 S County Rd
Palm Beach, FL 33480
www.townofpalmbeach.com

Line #	Landscape Legend	
	REQUIRED	PROPOSED
1	Property Address: 153 Australian	
2	Lot Area (sq. ft.): 10,500 sqft	
3		
4	Landscape Open Space (LOS) (Sq Ft and %)	4725 sqft 45% 4800 sqft 46%
5	LOS to be altered (Sq FT and %)	4725 sqft 45% 4800 sqft 46%
6	Perimeter LOS (Sq Ft and %)	2362sqft 50%of 45% 2362 50%
7	Front Yard LOS (Sq Ft and %)	750 sqft 40% 875 sqft 46%
8	Native Trees %	30% (number of trees) 61% (21)
9	Native Shrubs & Vines %	30% (number of shrubs & vines) 30% (596)
10	Native Groundcover %	30% (groundcover area) None

To determine qualifying native vegetation use either:
[the Institute for Regional Conservation Natives for Your Neighborhood FL Statewide Plant List](#)
OR
[the Florida Native Plant Society Native Plants for Your Area List](#)

Note: Modification of >50% of existing landscape/greenscape are subject to minimum native plant requirements and must submit a landscape and irrigation plan for review.

This table shall be included on the landscape species index sheet as prepared by a licensed landscape architect and landscape openspace data shall be incorporated on to corresponding zoning legend.

See Ord. 003-2023 REV BF 20230727

ARC-24-015

PROPOSED LANDSCAPE PLAN

scale: 1/8"=1'-0"

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Plan

LP3

TODD MACLEAN
OUTDOORS
P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

LP4

(561) 310-2333



ARC-24-015

Proposed Landscape Plan

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Details

LP5

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

ATM TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333



South Elevation



South Elevation

Landscape Elevations

ARC-24-015

ATA

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Details

LP6



South Elevation



North Elevation

ARC-24-015

Landscape Elevations

ATA

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Details

LP7



East Elevation



West Elevation

ARC-24-015

ATA

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Details

LP8



REV	DESCRIPTION	DATE


SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Details
LP8b



Town of Palm Beach

Planning Zoning and Building

360 S County Rd

Palm Beach, FL 33480

www.townofpalmbeach.com

Line #	Landscape Legend		
1	Property Address:	153 Australian	
2	Lot Area (sq. ft.):	10,500 sqft	
3		REQUIRED	PROPOSED
4	Landscape Open Space (LOS) (Sq Ft and %)	4725 sqft 45%	4800 sqft 46%
5	LOS to be altered (Sq Ft and %)	4725 sqft 45%	4800 sqft 46%
6	Perimeter LOS (Sq Ft and %)	2362sqft 50%of 45%	2362 50%
7	Front Yard LOS (Sq Ft and %)	750 sqft 40%	875 sqft 46%
8	Native Trees %	30% (number of trees)	61% (21)
9	Native Shrubs & Vines %	30% (number of shrubs & vines)	30% (596)
10	Native Groundcover %	30% (groundcover area)	None

To determine qualifying native vegetation use either:

[the Institute for Regional Conservation Natives for Your Neighborhood FL Statewide Plant List](#)

OR

[the Florida Native Plant Society Native Plants for Your Area List](#)

Note: Modification of >50% of existing landscape/greenscape are subject to minimum native plant requirements and must submit a landscape and irrigation plan for review.

This table shall be included on the landscape species index sheet as prepared by a licensed landscape architect and landscape openspace data shall be incorporated on to corresponding zoning legend.

See Ord. 003-2023

REV BF 20230727

PROPOSED LANDSCAPE ZONING PLAN



scale: 1/8"=1'-0"

ARC-24-015

TODD MACLEAN

OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480

(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence

153 Australian Avenue


Palm Beach, Florida 33480

03/08/24

Landscape Plan

Zoning


LP9



- 16. FX Uplights
- 07. FX Well Lights
- 06. FX Path Lights

- DETAIL LEGEND:
- 1 FX LUMINAIRE MP FIXTURE
 - 2 AIM FIXTURE A MINIMUM OF 10" OFF VERTICAL TO ALLOW WATER AND DIRT TO DRAIN OFF LENS CAP
 - 3 FX LUMINAIRE SUPER SLOT SPIKE MOUNT
 - 4 FINISHED GRADE
 - 5 DIRECT BURY, UF/UL, COPPER, LOW VOLTAGE CABLE WITH UL 486D (IEC/EN 60998) RATED WATERPROOF CONNECTION. LEAVE MINIMUM WIRE LOOP COILED BEHIND FIXTURE FOR FUTURE SERVICE.
 - 6 HEAT SHRINK WIRE CONNECTORS


- NOTES
- A. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
 - B. ACCEPTS 10-15 VOLTS - AC OR DC
 - C. SEE PLAN LEGEND FOR LED BOARD OPTION, BEAM SPREADS, AND ACCESSORIES.
 - D. ALWAYS REFER TO FX PRODUCT INSTALLATION NOTES PRIOR TO INSTALLATION.



XX UP LIGHT (MP) - SUPER SLOT SPIKE MOUNT
FXLuminaire. U.MP.04 NOT TO SCALE

- DETAIL LEGEND
- 1 FX Luminaire BD fixture. See plan legend for wattage, beam spread and accessories.
 - 2 Twist top assembly clockwise onto riser, until the gap between the lens and brass reducer is completely sealed.
 - 3 FX Luminaire Super Slot Spike mount.
 - 4 Finished grade.
 - 5 Direct bury, UF/UL, copper, low voltage cable with 3M DBR/Y-6 direct bury splice kit. Leave 18" minimum wire loop coiled below fixture for service.
 - 6 Petite Riser Assembly (PRA); see plan for height.

- NOTES
- A. Installation to be completed in accordance with manufacturer's specifications.
 - B. Accepts 10-15 volts - AC or DC
 - C. See plan legend for LED board and accessories.
 - D. Always refer to FX product installation notes prior to installation.



XX BD PATH LIGHT
SUPER SLOT SPIKE NOT TO SCALE

LANDSCAPE LIGHTING PLAN

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540


Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Landscape Lighting

LP10

ARC-24-015



ARC-24-015

LANDSCAPE CROSS SECTION



TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL


Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24


Cross Section

LP11




HARDSCAPE MATERIALS LIST		
DESCRIPTION	LOCATION	QTY
Brick American, Crimson 4"x8"x3 1/8", Driveway and Pedestrian Path	Covered Entry and Steps	1354 sqft
Cast Stone, 12"x24"x2"		130 sqft
Cast Stone, 26"x26"x2"	Front Entry Pads	84 sqft
Cast Stone, 12"x24"x2"		130 sqft
Cast Stone, 24"x24"x1 1/2"	Covered Loggia and Pergola Area Border	237 sqft
Cast Stone, 12"x24"x1 1/2"		252 sqft
Cast Stone, 12"x24"x2"	Pool Deck, Border and Field and Coping	961 sqft
Cast Stone, 4"x8"x2"		
Cast Stone, 12"x24"x2"	East Pathway Border and Field	276 sqft
Cast Stone, 12"x24"x2"		63 sqft


Black Decorative Metal Fencing with Self Closing Gate	Pool Area	173 LF
Black Decorative Gates with 4" Posts	West and East Pedestrian Gates	8 LF



New 6' Wall on West Side with Decorative Gate



New 48" tall, Pedestrian Gate , East side



New 48" tall, Pool Fence/Gate

ARC-24-015

PROPOSED HARDSCAPE PLAN

scale: 1/8"=1'-0"



P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE


SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Hardscape Plan
HP1




Cast Stone, Florida Key Stone light Soda Texture




Brick America, Crimson



Pool Tile, 7 Seas




Pool Finish, Double Sky Blue



Gate and Fencing Color, Black, Satin

Exterior Details

ARC-24-015



TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Hardscape Schedule

HP-2



scale: 1/8"=1'-0"



Landscape Demo


DP1

(561) 310-2333


[illegible]


EAL

Michael J. Phillips
L LA 0001540



Construction Screening





TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL

Michael J. Phillips
FL LA 0001540


Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Construction Screening

Plan

CS1



CONSTRUCTION SCHEDULE

MONTH 1	- SITE WORK & FOUNDATION
MONTH 2-4	- SHELL ROUGH WORK
MONTH 5	- FINISH CDX PLYWOOD ROOF SHEATHING & DRY IN
MONTH 6	- START ROUGH TRADES AND EXTERIOR OPENING INSTALLS
MONTH 7	- INSULATION & DRYWALL WORK
MONTH 8	- FINISH DRYWALL WORK
MONTH 9	- START INTERIOR FINISHES
MONTH 10	- FINISH INTERIOR FINISHES
MONTH 11	- SET ELECTRIC AND PLUMBING FIXTURES
MONTH 12	- DRIVEWAY AND POOL
MONTH 13	- LANDSCAPE, IRRIGATION AND FINAL INSPECTION

TRUCK SIZES & TYPES

LARGEST TRUCK TO BE A TRUSS FLATBED, APPROX 50' LONG

20 DUMPTRUCKS

60 DELIVERY TRUCKS

28 DUMPSTER TRUCKS


50 SUBCONTRACTOR VANS

1 GUNNITE TRUCK

1 PLASTER TRUCK

Truck Logistics Plan

ARC-24-015



scale: 1/8"=1'-0"

TODD MACLEAN
OUTDOORS

P.O. Box 2901, Palm Beach, FL 33480
(561) 310-2333

REV	DESCRIPTION	DATE

SEAL



Michael J. Phillips
FL LA 0001540

Private Residence
153 Australian Avenue
Palm Beach, Florida 33480

03/08/24

Truck Logistics Plan

TLP



LOCATION MAP
N.T.S.

- LEGEND
- EXISTING ELEVATION PER WALLACE SURVEYING (NAVD)
 - FLOW DIRECTION
 - EXFILTRATION TRENCH
 - AREA DRAIN W/STORM PIPING
 - 24" NYLOPLAST DRAIN BASIN WITH BAFFLE
 - PROPOSED FINISH GRADES

- NOTES:
- ALL NEW DRAINAGE TO BE INSTALLED PER PLANS AND EXACT ELEVATIONS WILL BE FIELD DETERMINED PER FIELD CONDITIONS.
 - ALL EXISTING DRAINAGE TO REMAIN AND BE CLEANED AFTER NEW INSTALLATION OF PROPOSED CONCRETE.
 - IMPERVIOUS AND PERVIOUS AREAS ARE EXACTLY THE SAME. NO CHANGE IN NET TOTAL.

CIVIL ENGINEERING CONSULTING, INC.
CERTIFICATE OF AUTHORIZATION #33369
8195 WHITE ROCK CIRCLE
BOYNTON BEACH, FL 33436
Phone: 561-847-0398
www.cec-fl.com

No:	Revisions:	Date:

DRAINAGE PLAN FOR:
PROPOSED RESIDENCE
153 AUSTRALIAN AVE.
PALM BEACH, FL


Project #:	23-167
Issue Date:	12/14/23
Drawn By:	AMW
Chkd By:	AMW
Scale:	As Shown

ANDRE M. WEBSTER
P.E.
No. 87358
STATE OF FLORIDA
Professional Engineer License

SHEET TITLE
DRAINAGE &
GRADING PLAN


SHEET NUMBER:
C1

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY ANDRE M. WEBSTER, P.E. ON THE DATE AND/OR TIME STAMP SHOWN USING A DIGITAL SIGNATURE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




PIPE DIA.	BAFFLE DIA.	GAUGE	HEIGHT	WIDTH	DEPTH	EAR LENGTH	PERCENT OF PIPE AREA
12	24	16	33	31	12.5	8	65.3
15	24	16	33	31	12.5	8	65.3
18	24	16	33	31	12.5	8	65.3
21	24	16	33	31	12.5	8	65.3
24	30	16	36	37	15.5	9	78.1
27	36	16	39	43	18.5	10	88.9
30	36	16	42	43	18.5	11	72.0
36	42	16	48	49	21.5	12	68.1
42	48	16	54	55	24.5	14	65.3
48	54	14	60	61	27.5	15	63.3
54	60	14	66	67	30.5	17	61.7
60	66	14	72	73	33.5	18	60.5
66	72	14	78	79	36.5	20	59.5
72	84	14	84	91	42.5	21	68.1

NOTE: ALL DIMENSIONS ARE IN INCHES.
CONTRACTOR TO CONFIRM THAT BAFFLE
WILL FIT STRUCTURE I.D.




BAFFLE DETAIL
N.T.S.



- EXCAVATION SIDE SLOPE SHORING, ETC. SHALL CONFORM TO O.S.H.A. STANDARDS. COMPACT TRENCH BACKFILL TO 98% OF MAXIMUM DENSITY IN ACCORDANCE WITH AASHTO T-180. DENSITY TESTS SHALL BE TAKEN AT 12" LIFTS EVERY 100' IN PUBLIC RIGHTS-OF-WAY AND 200' IN EASEMENTS.
- BEDDING SHALL CONSIST OF IN-SITU GRANULAR MATERIAL OR WASHED AND GRADED LIMEROCK 3/8"-7/8" SIZING. UNSUITABLE IN-SITU MATERIALS SUCH AS MUCK, DEBRIS, HARDPAN AND LARGER ROCKS SHALL BE REMOVED.
- THE PIPE SHALL BE PLACED IN A DRY TRENCH.
- BACKFILL SHALL BE FREE OF UNSUITABLE MATERIAL SUCH AS LARGE ROCK, MUCK, HARDPAN AND DEBRIS.
- SEE SEPARATE DETAIL FOR "PIPE INSTALLATION UNDER EXISTING PAVEMENT-OPEN CUT.
- THE AFFECTED AREA SHALL BE RESTORED TO EQUAL OR BETTER CONDITION OR AS SPECIFIED IN PERMIT/CONTRACT DOCUMENTS.


TRENCH AND BACKFILL DETAIL
N.T.S.

24" NYLOPLAST DRAIN BASIN




NOTE:
INLET TO HAVE MIN. 24" SUMP AND MIN. 18" CLEARANCE
BETWEEN BOTTOM OF BAFFLE AND BOTTOM OF INLET

24" DUCTILE IRON GRATE




AREA DRAIN DETAIL

TYPICAL EXFILTRATION TRENCH




$$L = \frac{V}{K(H_2W + 2H_2D_u - D_u^2 + 2H_2D_s) + (1.39 \times 10^{-4})WD_u}$$

L = LENGTH OF TRENCH REQUIRED (FEET)
V = VOLUME TREATED (ACRE-INCHES)
W = TRENCH WIDTH (FEET)
K = HYDRAULIC CONDUCTIVITY (CFS/FT.² - FT.HEAD)
H₂ = DEPTH TO WATER TABLE (FEET)
D_u = NON-SATURATED TRENCH DEPTH (FEET)
D_s = SATURATED TRENCH DEPTH (FEET)



EXFILTRATION TRENCH DETAIL
N.T.S.




No:	Revisions:	Date:

DRAINAGE PLAN FOR:
PROPOSED RESIDENCE
153 AUSTRALIAN AVE.
PALM BEACH, FL

STORMWATER MANAGEMENT CALCULATIONS	
SITE PLAN DATA	
Total Basin Area = 12,662 sq.ft. ±	
Impervious Area = 6,708 sq.ft. ±	
Pervious Area = 5,954 sq.ft. ±	
ESTIMATED RUNOFF VOLUME	
Impervious Runoff Volume: 2" x 6,708 sq.ft. x 1 ft./12 in. = 1,118 cu.ft.	
Pervious Runoff Volume: 0.4" x 5,954 sq.ft. x 1 ft./12 in. = 198 cu.ft.	
Total Basin Volume to be Retained = 1,316 cu.ft.	
EXFILTRATION TRENCH CALCULATIONS (SFWM ANALYSIS)	
Exfiltration Trench	
L = Total Length of Trench Provided	= 60 ft
W = Trench Width	= 10.00 ft
K = Hydraulic Conductivity	= 0.00005 cfs/sq.ft. per ft. of head
H ₂ = Depth to Water Table	= 1.50 ft
D _u = Non-Saturated Trench Depth	= 1.50 ft
D _s = Saturated Trench Depth	= 1.50 ft
V = Volume Treated	= 691 cu.ft.


Project #:	23-167
Issue Date:	12/14/23
Drawn By:	AMW
Chkd By:	AMW
Scale:	As Shown




SHEET TITLE	
DRAINAGE & GRADING DETAILS	
SHEET NUMBER:	

C2

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY ANDRE M. WEBSTER, P.E. ON THE DATE AND/OR TIME STAMP SHOWN USING A DIGITAL SIGNATURE.
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.




Know what's below.
Call before you dig.



LOCATION MAP
N.T.S.

LEGEND

- EXISTING ELEVATION PER WALLACE SURVEYING (NAVD)
- CONSTRUCTION STAGING AREA
- SILT FENCE



SILT FENCE DETAIL
N.T.S.

CIVIL ENGINEERING CONSULTING, INC.
CERTIFICATE OF AUTHORIZATION #33369
8195 WHITE ROCK CIRCLE
BOYNTON BEACH, FL 33436
Phone: 561-847-0398
andre@cec-fl.com
www.cec-fl.com

No:	Revisions:	Date:

EROSION CONTROL PLAN FOR:
PROPOSED RESIDENCE
153 AUSTRALIAN AVE.
PALM BEACH, FL

Project #:	23-167
Issue Date:	01/03/24
Drawn By:	AMW
Chkd By:	AMW
Scale:	As Shown

ANDRE M. WEBSTER
P.E.
No. 87358
STATE OF FLORIDA
Professional Engineer License

SHEET TITLE
EROSION CONTROL
PLAN

SHEET NUMBER:
EC1

THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY ANDRE M. WEBSTER, P.E. ON THE DATE AND/OR TIME STAMP SHOWN USING A DIGITAL SIGNATURE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

LEGEND

A

= ARC LENGTH

A/C

= AIR CONDITIONING

A.E.

= ACCESS EASEMENT

A.K.A.

= ALSO KNOWN AS

B.F.P.

= BACKFLOW PREVENTER

BLDG.

= BUILDING

B.M.

= BENCHMARK

B.O.C.

= BACK OF CURB

B.O.W.

= BACK OF WALK

(C)

= CALCULATED

CATV

= CABLE ANTENNA TELEVISION

C.B.

= CHORD BEARING

C.B.S.

= CONCRETE BLOCK STRUCTURE

C.C.C.L.

= COASTAL CONSTRUCTION CONTROL LINE

CH

= CHORD

C.L.F.

= CHAIN LINK FENCE

CLR.

= CLEAR

C.M.P.

= CORRUGATED METAL PIPE

CONC.

= CONCRETE

(D)

= DESCRIPTION DATUM

D.B.

= DEED BOOK

D.E.

= DRAINAGE EASEMENT

D.H.

= DRILL HOLE

D/W

= DRIVEWAY

EL.

= ELEVATION

ENC.

= ENCROACHMENT

E.O.P.

= EDGE OF PAVEMENT

E.O.W.

= EDGE OF WATER

ESMT

= EASEMENT

FFE

= FINISH FLOOR ELEVATION

FND.

= FOUND

F.O.C.

= FACE OF CURB

I.D.

= INSIDE DIAMETER

INV.

= INVERT

I.T.W.C.D.

= INDIAN TRAIL WATER CONTROL DISTRICT

L.A.E.

= LIMITED ACCESS EASEMENT

L.B.

= LICENSE BOARD

L.W.D.D.

= LAKE WORTH DRAINAGE DISTRICT

(M)

= FIELD MEASUREMENT

M.H.

= MANHOLE

M.H.W.L.

= MEAN HIGH WATER LINE

M.L.W.L.

= MEAN LOW WATER LINE

N.A.V.D.

= NORTH AMERICAN VERTICAL DATUM

N.G.V.D.

= NATIONAL GEODETIC VERTICAL DATUM

N.P.B.C.I.D.

= NORTHERN PALM BEACH COUNTY IMPROVEMENT DISTRICT

N.T.S.

= NOT TO SCALE

O.A.

= OVERALL

O/H

= OVERHEAD UTILITY LINE

O.R.B.

= OFFICIAL RECORD BOOK

O/S

= OFFSET

P

= PLANTER

(P)

= PLAT DATUM

P.B.

= PLAT BOOK

P.B.C.

= PALM BEACH COUNTY

P.C.

= POINT OF CURVATURE

P.C.C.

= POINT OF COMPOUND CURVATURE

P.C.P.

= PERMANENT CONTROL POINT

PG.

= PAGE

P.I.

= POINT OF INTERSECTION

P/O

= PART OF

P.O.B.

= POINT OF BEGINNING

P.O.C.

= POINT OF COMMENCEMENT

P.R.C.

= POINT OF REVERSE CURVATURE

P.R.M.

= PERMANENT REFERENCE MONUMENT

PROP.

= PROPOSED

P.T.

= POINT OF TANGENCY

PVMT

= PAVEMENT

(R)

= RADIAL

R

= RADIUS

RGE.

= RANGE

R.P.B.

= ROAD PLAT BOOK

R/W

= RIGHT OF WAY

(S)

= SURVEY DATUM

S.B.

= SETBACK

SEC.

= SECTION

SD

= SUBDIVISION

S.F.

= SQUARE FEET

S.F.W.M.D.

= SOUTH FLORIDA WATER MANAGEMENT DISTRICT

S.I.R.W.C.D.

= SOUTH INDIAN RIVER WATER CONTROL DISTRICT

S.R.

= STATE ROAD

STA.

= STATION

STY.

= STORY

TH

= THRESHOLD ELEVATION

T.O.C.

= TOP OF CURB ELEVATION

T.O.W.

= TOP OF WALL ELEVATION

TWP.

= TOWNSHIP

TYP.

= TYPICAL

U/C

= UNDER CONSTRUCTION

U.E.

= UTILITY EASEMENT

U.R.

= UNRECORDED

W.C.

= WITNESS CORNER

W.M.E.

= WATER MANAGEMENT EASEMENT

W.M.M.E.

= WATER MANAGEMENT MAINTENANCE EASEMENT

W.M.T.

= WATER MANAGEMENT TRACT

℄

= BASELINE

Δ

= CENTRAL ANGLE/DELTA

■

= CONCRETE MONUMENT FOUND (AS NOTED)

□

= CONCRETE MONUMENT SET (LB #4569)

●

= ROD & CAP FOUND (AS NOTED)

○

= #5 ROD & CAP SET (LB #4569)

○

= IRON PIPE FOUND (AS NOTED)

○

= IRON ROD FOUND (AS NOTED)

▲

= PARKER-KALON NAIL FOUND

●

= PARKER-KALON NAIL & DISK FOUND (AS NOTED)

●

= PARKER-KALON NAIL & DISK SET (LB #4569)

P

= PROPERTY LINE

⊙

= UTILITY POLE

⊗

= FIRE HYDRANT

⊕

= WATER METER

⊖

= WATER VALVE

✱




= LIGHT POLE

⋄

= PINE TREE

✱

= SABAL PALM



BOUNDARY SURVEY FOR:
CASA LAGAN, INC., A FLORIDA NON-PROFIT CORPORATION
This survey is made specifically and only for the following parties for the purpose of a closing on the surveyed property.

Casa Lagan, Inc., a Florida non-profit corporation
Alley, Maass, Rogers & Lindsay, P.A.
First American Title Insurance Company
Palm Beach Jewish Center, Inc.
Casa Lagan, Inc., a Florida corporation
Bay Coast Bank

The undersigned surveyor assumes no responsibility or liability for any other purpose or to any other party other than stated above.

PROPERTY ADDRESS:
153 Australian Avenue
Palm Beach, FL 33480

LEGAL DESCRIPTION:
Lot 43 and the East 1/4 of Lot 42, Block H, REVISED MAP OF ROYAL PARK ADDITION TO PALM BEACH, FLORIDA, according to the Plat thereof, as recorded in Plat Book 4, Page 1, of the Public Records of Palm Beach County, Florida.

FLOOD ZONE:
This property is located in Flood Zone X, according to F.I.R.M. (Flood Insurance Rate Map) No. 12099C0583F, dated 10/5/2017.

TITLE COMMITMENT REVIEW					
CLIENT: Casa Lagan, INC., a Florida non-profit corporation		COMMITMENT NO. : MTH 19578-38696		DATE: 08/22/22	
REVIEWED BY: Craig Wallace		JOB NO. : 12-1260.5			
B2 ITEM NO.	DOCUMENT	DESCRIPTION	AFFECTS AND PLOTTED	AFFECTS AND NOT PLOTT-ABLE	DOES NOT AFFECT
1-7	N/A	Standard Exception.			•
8	PB 4, PG 1	Restrictions, dedications, conditions, reservations, easements and other matters shown on the Plat of REVISED MAP OF ROYAL PARK ADDITION TO PALM BEACH, FLORIDA.	•		
9	n/a	Subject to matters shown on the Survey by Wallace Surveying Corp. dated 9/20/12, updated 6/28/22, Job No. 12-1260.	•		
10	ORB 33795, PG 347	That certain Mortgage in the amount of \$ 4,656,200.00 from Casa Lagan, Inc., a Florida non-profit corporation to BayCoast Bank dated August 17, 2022.			•

- NOTES:**
- All information regarding record easements, adjoiners, and other documents that might affect the quality of title to tract shown hereon was gained from Order Number MTH 19578-38696, issued by First American Title Insurance Company, dated August 22, 2022. This office has made no search of the Public Records.
 - Elevations shown hereon, if any, are in feet and decimal parts thereof and are based on NAVD-88. The expected accuracy of the elevations shown hereon is 0.03' for the hard surface elevations (shown thus x 0.00) and 0.1' (shown thus x 0.0) for the soft surface elevations. Elevations shown hereon are U.S. survey feet unless otherwise noted.
 - Description furnished by client or client's agent.
 - Unless presented in digital form with electronic seal and electronic signature this survey must bear the signature and the original raised seal of a Florida licensed surveyor or mapper this drawing, sketch, plat or map is for informational purposes only and is not valid.
 - This survey cannot be transferred or assigned without the specific written permission of Wallace Surveying Corporation. Certificate of Authorization Number LB4569.
 - Except as shown, underground and overhead improvements are not located. Underground foundations not located.
 - The survey sketch shown hereon does not necessarily contain all of the information obtained or developed by the undersigned surveyor in his field work, office work or research.
 - No responsibility is assumed by this surveyor for the construction of improvements, from building ties shown on this survey.
 - Revisions shown hereon do not represent a "survey update" unless otherwise noted.
 - All dates shown within the revisions block hereon are for interoffice filing use only and in no way affect the date of the field survey stated herein.
 - In some instances, graphic representations have been exaggerated to more clearly illustrate the relationships between physical improvements and/or lot lines. In all cases, dimensions shown shall control the location of the improvements over scaled positions.
 - It is a violation of Rule 5J-17 of the Florida Administrative Code to alter this survey without the express prior written consent of the Surveyor. Additions and/or deletions made to the face of this survey will make this survey invalid.
 - The ownership of fences, perimeter walls and/or hedges shown hereon are not known and thus are not listed as encroachments. Fences, hedges and/or perimeter walls are shown in their relative position to the boundary.
 - The expected horizontal accuracy of the information shown hereon is +/- 0.10'.

CERTIFICATION:
I HEREBY ATTEST that the survey shown hereon conforms to the Standards of Practice set forth by the Florida Board of Professional Surveyors and Mappers adopted in Rule 5J-17, Florida Administrative Code pursuant to Section 472.027, Florida Statutes, effective September 1, 1981.

DATE OF LAST FIELD SURVEY: 6/29/2023

Craig L. Wallace
Professional Surveyor and Mapper
Florida Certificate No. 3357

REVISIONS

01/04/24 TITLE REVIEW M.B. 12-1260.5
06/29/23 SURVEY AND TIE-IN UPDATE B.M./M.B. 12-1260.4 PB349/72
06/28/22 SURVEY AND TIE-IN UPDATE J.C./M.B. 12-1260.2 PB335/18

BOUNDARY SURVEY FOR:

CASA LAGAN, INC.,
A FLORIDA NON-PROFIT CORPORATION

WS

WALLACE SURVEYING

CORP. LICENSED BUSINESS # 4569

5553 VILLAGE BOULEVARD, WEST PALM BEACH, FLORIDA 33407 • (561) 640-4551

FIELD	B.M.	JOB NO.	12-1260	F.B.	PB143 PG. 6
OFFICE	M.B.	DATE	9/20/12	DWG. NO.	12-1260-1
C/K'D	C.W.	REF.	12-1260-1.DWG	SHEET	1 OF 1