






NOT FOR CONSTRUCTION

















		I∓⊏⊼∦				SDECIFICAT'
CATEGORY	LOCATION / SYMBOL	ITEM DESCRIPTION	MATERIAL DESCRIPTION	SOURCE	REMARKS	SPECIFICAT N SECTION
	MAIN ENTRY ROAD	STONE PAVER AND CIP CONCRETE	PAVERS: BASE BID: FIELD: 6" X 12" KALAHARI BUSH HAMMERED BANDING: 6" X 6" KALAHARI BUSH HAMMERED	OPTIONS IN NO SPECIFIC PREFERENCE: OPTION 1 :SANDRA JONAS DESGUIN MAIDEN STONE 500 LOVETT BLVD.	CONTRACTOR TO PROVIDE MATERIAL SAMPLE, INCLUDING GROUT SAMPLE, FOR CLIENT AND L.A. APPROVAL PRIOR TO PLACING ORDER.	30 00.66 14.00.66 13 73.66
			ADD ALTERNATE 1: FIELD: 6" X 12" KALAHARI BUSH HAMMERED BANDING: 6" X 6" BLACK CONTE BASALT BUSH HAMMERED. ADD ALTERNATE 2:	SUITE 175 HOUSTON, TX 77006 D: 206 898 2822 F: 415 449 6942	2. PROVIDE SHOP DRAWINGS TO LANDSCAPE ARCHITECT FOR REVIEW AND APPROVAL BEFORE FABRICATION BEGINS.	
	A		FIELD: FIELD: 6" X 12" KALAHARI BUSH HAMMERED BANDING: 6" X 6" AVORIO WATERJET + BRUSHED (NEWLY QUARRIED)	MOBILE. +1.786.420.0216	<ul> <li>3. CONTRACTOR TO MOCK UP</li> <li>4'-0" X 4'-0" SAMPLE AREA</li> <li>ON-SITE FOR CLIENT AND L.A.</li> <li>APPROVAL.</li> <li>4. CONTRACTOR TO MOCK UP</li> <li>4 DIFFERENT COLOR OPTIONS</li> <li>OF SANDED GROUT SAMPLES</li> <li>ON-SITE FOR L.A. APPROVAL.</li> <li>GROUT COLOR TO MATCH</li> <li>STONE COLOR.</li> </ul>	
	ENTRY COURTYARD/ EXTERIOR TERRACES/ POOL TERRACE AND EVENT LAWN WALKWAY B	STONE PAVER OVER STRUCTURE AND CONCRETE SUBSLAB	STONE PAVER: AVORIO, FINISH PER APPROVED SAMPLE	OMNI STONE FRANCK PECCEU OMNISTONE MASONRY, INC. C. (510) 917-3274 T. (510) 782-1022		
PAVING	GARDEN ROOMS	STONE PAVER ON AGGREGATE SUBBASE	STONE PAVING ON AGGREGATE SUBBASE: AVORIO STONE; SIZE VARIES, FINISH PER APPROVED SAMPLE	OMNI STONE FRANCK PECCEU OMNISTONE MASONRY, INC. C. (510) 917-3274 T. (510) 782-1022		
	MEANDERING WALKWAYS	CIP CONCRETE	EXPOSED AGGREGATE SHELL CUSTOM MIX. INEGRAL COLOR; FINISH SELECTION PER ON-SITE SAMPLE REVIEW INTEGRAL SHELL ADD COLOR. COLOR: SIMILAR COLOR RANGE AS AVORIO	CONTACT: JIM CONNERY, 946 BEACHLAND BLVD., SUITE 12 VERO BEACH, FLORIDA 32963 P: 772-231-1224 F: 772-231-5582 C: 772-473-2003	1. CONTRACTOR TO MOCK UP 100 SQ FT SAMPLE AREA FOR EACH OPTION ON-SITE FOR CLIENT AND L.A. APPROVAL. 2. FINAL COLOR AND FINISH SELECTION TO BE DETERMINED AFTER REVIEW OF MOCK-UP SAMPLES ON SITE. WRITTEN APPROVAL BY LANDSCAPE ARCHITECT AND CLIENT REQUIRED.	30. 00.66
	SERVICE DRIVE AND SERVICE COURTYARD (E)	PERVIOUS ASPHALT	SCD.		CLIENT REQUIRED.	
	SHUFFLE BOARD COURT	SPECIALIZED CONCRETE	CONCRETE WITH BURNISHED FINISH, FOR COLOR SEE DETAILS.	ARMOR COURTS PH. 561-462-8963 GREG PAPPAS, PH. 772-260-3266 PAPICO CONSTRUCTION INC.	FINAL COLOR AND FINISH SELECTION TO BE DETERMINED AFTER REVIEW OF MOCK-UP SAMPLES ON SITE. WRITTEN APPROVAL BY LANDSCAPE ARCHITECT AND CLIENT REQUIRED.	30.00.66
	BEACH ACCESS		CIP CONCRETE WITH BRUSHED FINISH COLOR RANGE: DAVIS COLOR: MESA BUFF OR SANDSTONE	TBSD.	FINAL COLOR AND FINISH SELECTION TO BE DETERMINED AFTER REVIEW OF MOCK-UP SAMPLES ON SITE. WRITTEN APPROVAL BY LANDSCAPE ARCHITECT AND CLIENT REQUIRED.	03 30 00.66
	MEP YARD	SPECIALIZED CONCRETE	EXPOSED AGGREGATE SHELL CUSTOM MIX. INEGRAL COLOR; FINISH SELECTION PER ON-SITE SAMPLE REVIEW INTEGRAL SHELL ADD COLOR. COLOR: SIMILAR COLOR RANGE AS AVORIO	CONTACT: JIM CONNERY, FLORIDA 32963 P: 772-231-1224		30.00.66
PAVING	EAST ACCESS TO THE BEACH	SEA SHELL PAVING	COQUINA SHELL: SCREENED, 'GOLD' COLOR COQUINA SHELL	FLORIDA SUPERIOR SAND, INC.	1. PROVIDE 1 LB SAMPLE FOR CLIENT REPRESENTATIVE REVIEW 2. CONTRACTOR TO MOCK UP 20 SQ FT SAMPLE AREA ON-SITE FOR CLIENT AND L.A. APPROVAL. 2. CONTRACTOR TO SUBMIT TO L.A. FOR FINAL APPROVAL	16 10
	EAST BOARDWALK	WOOD BOARDWALK	PRESSURE TREATED WOOD FOR GROUND CONTACT: SOUTHERN YELLOW PINE PRESSURE TREATED GRADE NO. 2 PRESSURE TREATED WOOD FOR DECK FRAMING: SOUTHERN YELLOW PINE PRESSURE TREATED GRADE NO. 2, FINISHED WOOD DECKING: SOLID FSC® IPE WOOD DECK FINISH: IPE OIL <sup>™</sup> PLUS HARDWOOD DECK OIL FINISH, WOOD HANDRAIL POSTS		1. CONTRACTOR TO MOCK UP 6 LINEAR FEET OF RAILING AND POSTS ON-SITE FOR CLIENT AND L.A. APPROVAL. 2. CONTRACTOR TO SUBMIT TO L.A. FOR FINAL APPROVAL	10 63.66
	SERVICE DRIVEWAY ENTRY	CONCRETE PAVERS (NON PERMEABLE CONDITION)	PAVER: HOLLAND SIZE: 4 X 8 X 3 1/8 COLOR: GREY RANGE, LIGHT TO DARK, CUSTOM COLOR AND CUSTOM BLEND ADD ALTERNATE COLOR: VICTORIAN PATTERN: RUNNING BOND	BELGARD CONTACT: JOHN BARBMY JOHN.BARMBY@OL DCASTLE.COM	<ol> <li>PROVIDE 1 LB SAMPLE FOR CLIENT REPRESENTATIVE REVIEW 2. CONTRACTOR TO MOCK UP 20 SQ FT SAMPLE AREA ON-SITE FOR CLIENT AND L.A. APPROVAL.</li> <li>CONTRACTOR TO SUBMIT TO L.A. FOR FINAL APPROVAL</li> </ol>	14 00.66
SEALANT	SEE PLAN	ALL STONE PAVING AND WALL VENEER	STONE PAVING AND WALL VENEER: DRY TREAT 40 SK, ON ALL 6 SIDES, DRY-TREAT 40SK™ . STAIN-PROOF ® AFTER INSTALLATION BEFORE JOINTS ARE SEALED	PRECISION/ SANTUCCI/ OMNI STONE	ALL PAVING MOCKUPS TO INCLUDE SEALANT APPLICATION FOR LANDSCAPE ARCHITECT'S REVIEW AND APPROVAL	
			NOTE : MOCK-UP IS NEEDED TO VERIFY IMPACTS OF SEALANT ON VERTICAL ADHERED WALL VENEER INSTALLATION METHODS			
PAVING	PICKLEBALL COURT	SPECIALIZED CONCRETE	1.CAST IN PLACE CONCRETE SUBSTRAT. 2.PRIMER COAT: HAR TRU CONCRETE PRIMER. 3.FINISH COATS: HAR TRU PICKLE SPORTS.	HARTRU.COM, REPRESENTATIVE ANDREW FRAZIER, AFRAZIER @HARTRU.COM, 434 409 3738.	SUBMIT SHOP DRAWING FOR ALL POSTS, PANELS, AND GATE SYSTEM.	

014 60 Blossom\Cad\ARCOM Set\L2.01 MATERIAL SCHEDULE.dwg. Plot Scale: 1:1.03

			MATERIALS SCHEDULE			
CATEGORY	LOCATION/ SYMBOL	ITEM DESCRIPTION	MATERIAL DESCRIPTION	SOURCE	REMARKS	
	AT THE ENTRY, POOL TERRACE, UPPER LAWN WA-XX	CMU GROUTED WALL WITH STONE VENEER	STONE WALL VENEER TO MATCH ARCHITECTURAL WALL VENEER FINISH AND SIZE	T.B.D.	1. CONTRACTOR TO MOCK UP 40 SQ FT SAMPLE AREA FOR EACH OPTION ON-SITE FOR CLIENT AND L.A. APPROVAL. 2. CONTRACTOR TO SUBMIT TO L.A. FOR FINAL APPROVAL, SHOP DRAWINGS OF WALL VENEER LAYOUT FOR EACH WALL SEGMENT BEFORE STONE PIECES ARE CUT AND CONSTRUCTION BEGINS.	20 00.66
WALLS	WALL AT PROPERTY LINE AND GARDENS WB-XX	CMU WALL	STUCCO FINISH AND COLOR: T.B.D. STONE CAP: AVORIO STONE, 3" FINISH OF STONE SAME AS WALL VENEER FINISH. ADD ALTERNATE: CUSTOM CONCRETE CAP TO MATCH AVORIO STONE COLOR	STUCCO: TBD STONE CAP: OMNI STONE CONCRETE CAP: DC KERKHOFF COMPANY PH. 239 597-7218		20 00.66
	WALLS AT WEST GARDEN WC-XX	BOULDER	OOLITE OR LIMESTONE BOULDERS TB.D.	SOURCE T.B.D		
STEPS	AT POOL TERRACE, EAST TERRACE(S)	STONE STEPS	STEP TREAD: AVORIO STONE , MACHINE CUT, FINISH: TO MATCH PAVER FINISH B FINAL STONE FINISH SELECTION BASED ON CLIENT SAMPLE APPROVAL	OMNISTONE FRANCK PECCEU OMNISTONE MASONRY, INC. C. (510) 917-3274 T. (510) 782-1022	<ol> <li>CONTRACTOR TO PROVIDE MATERIAL SAMPLE FOR CLIENT, AND L.A. APPROVAL PRIOR TO PLACING ORDER.</li> <li>CONTRACTOR TO SUBMIT TO L.A. FOR FINAL APPROVAL, SHOP DRAWINGS OF WALL VENEER LAYOUT FOR EACH WALL SEGMENT BEFORE STONE PIECES ARE CUT AND CONSTRUCTION BEGINS.</li> <li>CONTRACTOR TO MOCK UP 4'-0" X 4'-0" SAMPLE AREA INCLUDING STONE CAP AS SPECIFIED ON-SITE FOR CLIENT, AND L.A. APPROVAL</li> </ol>	14 00.66
	AT UPPER EVENT LAWN ST-2	STONE STEPS	AVORIO STONE, SAME FINISH AS PAVING			
DECORATIVE GATES	MAIN ENTRY GDV-1	DECORATIVE VEHICULAR METAL/WOOD GATE	S.A.D	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	50 00.66
	CLIENT PRIVATE DRIVEWAY GDV-2	DECORATIVE VEHICULAR METAL/WOOD GATE	S.A.D.	FABRICATOR T.B.D.		
	MEP YARD ENTRY	DECORATIVE VEHICULAR METAL/WOOD GATE	S.A.D.	FABRICATOR T.B.D.		
	SERVICE GATE AT BATH GARDEN GDP-1	DECORATIVE PEDESTRIAN METAL/WOOD GATE (QTY-1)	STAINLESS STEEL 316L METAL WITH IPE OR ROBINA WOOD; SIMILAR TO MAIN ENTRY ARCHITECTURAL GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
	OWNER'S GATE AT BATH GARDEN GDP-2	DECORATIVE PEDESTRIAN METAL/WOOD GATE (QTY-1)	STAINLESS STEEL 316L METAL WITH IPE OR ROBINA WOOD; SAME AS MAIN ENTRY ARCHITECTURAL GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
	OWNER'S BATH GARDEN EAST WALL GDP-3	DECORATIVE PEDESTRIAN METAL/WOOD GATE (QTY-1)	STAINLESS STEEL 316L METAL WITH IPE OR ROBINA WOOD; SAME AS MAIN ENTRY ARCHITECTURAL GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
SERVICE GATES	BEACH ACCESS AT SOUTH OCEAN BLVD GSP-1	DOUBLE LEAF GATE (QTY1)	GATE TO MATCH ARCHITECTURE SERVICE GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
	EAST SERVICE ENTRY FROM NORTH BEACH ACCESS GSP-2	SINGLE LEAF GATE (QTY1)	GATE TO MATCH ARCHITECTURE SERVICE GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
	GOLF CART ACCESS GATE FROM MEP YARD TO WEST GSP-3 GARDENS	SINGLE LEAF GATE (QTY1)	GATE TO MATCH ARCHITECTURE SERVICE GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
	_	DECORATIVE VEHICULAR METAL/WOOD (QTY 1)	STAINLESS STEEL 316L METAL WITH IPE OR ROBINA WOOD; SAME AS MAIN ENTRY ARCHITECTURAL GATE	FABRICATOR T.B.D.	GATE FABRICATOR TO PROVIDE SHOP DWGS., SAMPLE, AND FINISH FOR L.A. APPROVAL.	
POOL AND SPA	MAIN POOL DECK	MAIN POOL	SEE DETAILS		1. CONTRACTOR TO PROVIDE STONE COPING SAMPLES, MORTAR COLOR SAMPLE, AND GROUT SAMPLES, POOL PLASTER SAMPLES, FOR CLIENT AND L.A. APPROVAL. 2. PROVIDE SEALANT MAINTENANCE DATA FOR STONE AND ITS GROUT JOINTS AND FOR WATERLINE TILE GROUT JOINTS.	SEE POOL CONSULTAN S DRAWINGS

ш ΟΙ  $\vdash$ 1505 BRIDG 15 944 1475 S 

 PRIVATE RESIDENCE


 1247 SOUTH OCEAN BLVD (FKA 60 BLOSSOM WAY)

 PALM BEACH, FLORIDA 33480


 ©2023 Stoev Design Group Inc. The designs and concepts shown are the intellectual property of Stoev Design Group Inc., and shall not be used, copied or transmitted in any form without the Landscape Architect's written approval. SCALE: NOTE: THIS SHEET SIZE IS 30" X 42". DO NOT SCALE DRAWINGS. A R C O M : A R C - 2 4 - 0 1 0 3 ( Z O N - 2 4 - 0 0 6 1 ) REVISIONS NO DATE ISSUE -----1 09/16/2024 ARCOM PRE-APP 2 10/03/2024 FRIST SUBMITTAL 3 10/21/2024 SECOND SUBMITTAL Щ SCHEDUL . . **ERIAL IAT** PROJECT #: 19-014 DRAWN BY: CS, AB, WI, LT CHECKED BY: CS, SS DRAWING NO: L2.01

NOI- $\leq$ R **•** S Ζ ()R 

			MATERIALS SCHEDUL	_E						MATERIALS SCHEDULE			
ATEGORY	LOCATION / SYMBOL	ITEM DESCRIPTION	MATERIAL DESCRIPTION	SOURCE	REMARKS	SPECIFICATION SECTION	CATEGORY	LOCATION/ SYMBOL	ITEM DESCRIPTION			REMARKS	SPECIFICATIO SECTION
	GUEST GARDEN	GUEST POOL DECK	SEE DETAILS		1. CONTRACTOR TO PROVIDE STONE COPING SAMPLES, MORTAR COLOR SAMPLE, AND GROUT SAMPLES, POOL PLASTER SAMPLES, FOR		HANDRAILS	AT GUEST GARDENS	HANDRAIL, TEAK	TEAK WITH CONTINUOUS STAINLESS STEEL BAR	FABRICATOR T.B.D.		50 00.66 10 63.66
POOL	BATH GARDEN	OWNER PRIVATE BATH GARDEN	SEE DETAILS		<ul> <li>CLIENT AND L.A.</li> <li>APPROVAL.</li> <li>3. CONTRACTOR TO</li> <li>MOCK UP 4 DIFFERENT</li> <li>COLOR OPTIONS OF</li> <li>SANDED GROUT</li> <li>SAMPLES ON-SITE FOR</li> <li>L.A. APPROVAL. GROUT</li> <li>COLOR TO MATCH</li> <li>STONE COLOR.</li> <li>4. PROVIDE SEALANT</li> <li>MAINTENANCE DATA FOR</li> <li>STONE AND ITS GROUT</li> </ul>		FENCES	ALONG BEACH AND ACCESS FE-1	EXTRUDED ALUMINUM FENCE WITH POWDERCOAT PAINT FINISH	BASE BID: AMERISTAR ECHELON EXTRUDED ALUMINUM, POWDER COAT PAINT FINISH, FINAL COLOR TB.D. ADD ALTERNATE 1:MULHOLLAND BRAND 24 SERIES PICKET (P24F2) 5'-6" HT. COLOR: BEIGE OR DARK BROWN	EQUAL ADD ALTERNATE: CLASSIC 24 SERIES VERTICAL FENCING MULHOLLAND BRAND CONTACT : RYAN RODRIGUEZ, OFFICE: (800) 562-5770 (ext:1003)		
	ENTRY DRIVE WAY AND AUTOCOURT	STONE CURB	STONE: KALAHARI GRANITE 9" KALAHARI BUSH HAMMERED FINISH	OPTION 1 SANDRA JONAS DESGUIN MAIDEN STONE D: 206 898 2822	JOINTS AND FOR WATERLINE TILE GROUT JOINTS. 1. CONTRACTOR TO PROVIDE MATERIAL SAMPLE FOR CLIENT AND L.A. APPROVAL	14 00.66	TRENCH DRAIN	GRATES AT OUTDOOR SHOWER AREAS ( OWNER AND GUEST) M-1		INTERLACE GRATE; SIZES VARY, SEE DETAILS FOR SIZES. COLOR: TO MATCH ADJACENT STONE	CELL: (818) 270-5691 JONITE: TOM BRAGGO T 484 224 2972 F 484 224 2999	1. CONTRACTOR TO PROVIDE MATERIAL SAMPLE FOR CLIENT AND LA APPROVAL	
URBS	CU-1			F: 415 449 6942 OPTION 2: CARLO ODORIZZI ARQUIGREEN CORP MOBILE. +1.786.420.0216 WWW.ARQUIGREEN.C OM	PRIOR TO PLACING ORDER. 2. CONTRACTOR TO MOCK UP 10 SQUARE FEET SAMPLE AREA ON-SITE FOR CLIENT AND L.A. APPROVAL		TRENCH DRAIN		BASE BID: REINFORCED STONE GRATE ADD ALTERNATE BRONZE OR STAINLESS STEEL 316		BRAGGO T 484 224 2972 F 484 224 2999 IRON AGE: TED JONSSON PARKPACIFIC	1. CONTRACTOR TO PROVIDE MATERIAL SAMPLE FOR CLIENT AND LA APPROVAL	
	EAST GOLF CART SERVICE ENTRY	CIP CONCRETE CURB	INTEGRAL COLOR, COLOR SELECTION TBD.	DAVIS COLOR		30 00.06		BETWEEN HARDSCAPE AT PLANTING BEDS	COPOLYMER POLYPROPYLENE ROOT BARRIER	UB 18, BLACK DEEP ROOT BARRIER	WESTERN TERRITORY	INSTALL PER MANUFACTURER'S RECOMMENDATIONS	
WATER FEATURE	MAIN DINING GARDEN WF-1	INFINITY EDGE WATER FEATURE	SEE DETAIL			12.13.66	ROOT BARRIEF	ALONG DRIVEWAY, MOTOR COURT, POOL AREA, MEDITATION GARDEN AND OUTDOOR GAME ROOM			PROJECT MANAGER M 978 886 1280 (PRIMARY) 415 781 9700		
	WF-2	WATER FEATURE AT CARETAKER'S COTTAGE	SEE DETAILS			12.13.66	BELOW GRADE ROOT BALL SUPPORT	SPECIFIC TREES AND PALMS M-4	9 STAINLESS STEEL 316 GROUND ANCHORS FOR TREES AND PALMS	<ul> <li>RF3SPECIAL FOR ON STRUCTURE TREES AND PALMS</li> <li>RF3P IS FOR ALL ON GRADE PALMS UP TO 40'</li> <li>RF3P -4LEG IS FOR ALL TREE TRANSPLANTS WITH MASSIVE ROOT BALLS.</li> </ul>		MANUFACTURER TO PROVIDE SITE PRESENCE FOR ONE INSTALLATION	
	NORTH GUEST GARDENS WF-3	SPITTER WATERFEATURE	SEE DETAILS			12.13.66				NOT USED			
					<ol> <li>CONTRACTOR TO PROVIDE MATERIAL SAMPLE FOR CLIENT AND L.A. APPROVAL PRIOR TO PLACING ORDER.</li> <li>CONTRACTOR TO MOCK UP 10'-0" SQUARE</li> </ol>			M-5					
	EVENT LAWN WF-4	TENSION AND INFINITY EDGE WATER FEATURE	SEE DETAILS		FEET SAMPLE AREA ON-SITE FOR CLIENT AND L.A. APPROVAL		BARBEQUE GRILL ASSEMBLY	POOL TERRACE	KALAMAZOO GRILL WITH AVORIO STONE BLOCK	SEE DETAILS	KALAMAZOO: CARLY CALDERONE PH: 312.423.8703 AVORIO: OMNISTONE	GRILL INSTALLED PER MANUFACTURER'S SPECIFICATIONS	20 00.66
	RESTORATIVE	REFLECTIVE	SEE DETAILS			12.13.66	OUTDOOR SHOWER		OUTDOOR SHOWER ( QTY: 2	ATENA AMA LUXURY SHOWER, ATENA AN8700 - COLUMN IN STAINLESS STEEL AISI 316L BRILLIANT, 2 MM THICKNESS	AMA LUXURY SHOWER PHONE +39 030 5231508		
	GARDEN	POOL WITH SMALL BUBBLERS FOR WATER MOVEMENT				12.13.00	WOOD	SHOWER ENCLOSURE AND SHOWER PAN	WOOD ENCLOSURE	SOLID FSC® IPE WOOD OR CLASS 1 ROBINIA WOOD, SHOWER PAN : AVORIO			30.00.66 10.63.66




NOI-M S Ζ R 

















------